

Lens\$db: Lens Price database

Copyright © J.L. Colwell 2005-2018, www.jcolwell.ca

v.34 .2018-09-01

(1 of 25)

The Lens Price database, Lens\$db, is copyright © J.L. Colwell 2005-2018. You may copy and freely distribute the database to others, but you may not charge or accept any fees, and you may not modify the database. You may incorporate any information from Lens\$db in other publications (online or otherwise), as long as you acknowledge the source. I attempt to acknowledge all sources I have used (except for eBay sales), and I apologize to any sources I may have missed. I am grateful to the many people who share photography information online. I hope this is a useful contribution. I try to be accurate but I'm sure there are errors and omissions - use this database at your own risk.

See **Lens\$db.docx** for who, when, where, why, and how; this database tells you what and how much.

Index of Spreadsheets

| | |
|----------------|---|
| i | information |
| RF | Canon EOS RF full frame mirrorless lenses |
| EFp | Canon EOS EF full frame SLR prime lenses and EF Extenders |
| EFz | Canon EOS EF full frame SLR L-series zoom lenses (plus a few others) |
| EF-S | Canon EOS EF-S APS-C DSLR lenses |
| EF-M | Canon EOS EF-M APS-C mirrorless lenses |
| STT | Sigma, Tamron, and Tokina SLR lenses |
| CZ.V | Carl Zeiss ZE, C/Y, and N; Voigtlander and Schneider PC |
| LNOP | Leica-R, Nikon AI/S, Olympus, Pentax, Hexanon AR, and a few more |
| M42 | Carl Zeiss, Carl Zeiss Jena, Pentax Takumar, Fuji, Mamiya, etc. |
| 645 | Mamiya 645, Pentax 645, and Schneider-K P6 medium format lenses |
| LM | Leica-M, LTM: Zeiss ZM, Canon S, and Voigtlander rangefinder lenses |
| compare | unprotected page for "=" relationships with previous pages, for easy comparison of items. |

Notation - Spreadsheet Columns

| | |
|----------------|--|
| f | focal length (mm) |
| f/ | maximum aperture (lens wide open), $f/ = a.max = \text{minimum F-stop number}$ (e.g. f/1.4) |
| f(1.6x) | equivalent focal length (mm) on a x1.6 crop factor body, e.g, Canon SL1, T5i, 70D, 7D II, etc. |
| mt | EF is Canon AF, others are various manual focus mounts |
| Dmin | minimum focus distance (m) |
| wt | weight of lens (kg), not including caps |
| L | minimum length of lens (mm), usually at infinity focus |
| D | maximum diameter of lens (mm) |
| Df | filter diameter (mm), rg = rear gel, bi = built in, di = drop in |
| E to E+ | price category for "Excellent" condition items |
| M- to N | price category for "near Mint" to "New" condition items |

All spreadsheet pages except for "compare" are 'protected' so that they can't be modified, but you can select an entire page and paste it to a new spreadsheet of your own without protection.

Lens\$db: Lens Price database

Copyright © J.L. Colwell 2005-2018, www.jcolwell.ca
v.34 .2018-09-01

(2 of 25)

Data sources:

Canon lens specs are from Canon's Canada and US web sites for current and some recent products.

additional information was taken from a variety of places, including:

Canon: Tan Chung, www.tanchung.com/canon/canonlensesmain.htm

Canon: Reptile Garden Photography, www.rgarden.glandrake.com/index.html

Canon: Eric's Photos http://canid.com/canon_ef_lenses.html

Canon rangefinder lenses <http://www.huffman.tk/id25.html>

Canon rangefinder lenses http://www.taunusreiter.de/Cameras/Canon_RF_2e.html

Contax Carl Zeiss www.zeiss.de and <http://www.contaxusa.com/lenses.asp?itemnum=132000>

Contax etc. Leonard Foo, Photography in Malaysia <http://mir.com.my/rb/photography/>

Konica Hexanon AR: <http://www.buhla.de/index.html>

Leica R: ApoTelyt, <http://www.apotelyt.com/photo-lens/leica-r-lenses>

Leica R: CameraQuest <http://www.cameraquest.com>, Erwin Puts

Nikon Lens Specifications by Roland Vink <http://home19.inet.tele.dk/ne/nikon.htm>

Olympus: The Unofficial Olympus Sales Information File, <http://vanveluwen.nl/eSIF/>

Pentax K: Boz Dimitriov Pentax K-Mount site <http://www.bdimitrov.de/kmp/>

Pentax Takumar M42: Ashai Optical Historical Society, www.aohc.it

Voigtlander SL, LTM, LM: CameraQuest <http://cameraquest.com/inventor.htm>

Pentacoon Six, Sch-K lenses, TRA <http://www.pentaconsix.com/Schneiderdata.htm>

Pentax Forums <http://www.pentaxforums.com/lensreviews/> (645)

Jena etc. AllPhotoLenses, http://allphotolenses.com/lenses/item/c_921.html

http://allphotolenses.com/lenses/item/c_409.html

| |
|------|
| 0.76 |
|------|

 convert \$ CA to \$ US [excel variable CA.US]

| Canon EOS RF lenses | | | | | | | | | | | eBay | | other suppliers | | | | | |
|--|------------------------|--------|------------|------------|-----------|-----------|------------|-----|-----|----|---------|------|-----------------|-------------|---------|------|---------|------|
| | | | | | | | | | | | E to E+ | | M- to N | | E to E+ | | M- to N | |
| | | | | | | | | | | | \$US | date | \$US | date | \$US | date | site | \$US |
| f (mm) | f/ (mm) | mt | MFD (m) | wt (kg) | L (mm) | D (mm) | Df (mm) | | | | | | | | | | | |
| RF Lenses (full frame, R = 20 mm) | | | | | | | | | | | | | | | | | | |
| Canon | RF 35/1.8 IS STM Macro | 35 | 1.8 | 35 | RF | 0.2 | 0.31 | 63 | 74 | 52 | 0 | 0 | | 500 | .18-09 | b&h | | |
| Canon | RF 50/1.2 L USM | 50 | 1.2 | 50 | RF | 0.4 | 0.95 | 108 | 90 | 77 | 0 | 0 | | 2300 | .18-09 | b&h | | |
| Canon | RF 24-105/4 L IS USM | 24-105 | 4 | 24-105 | RF | 0.5 | 0.70 | 107 | 84 | 77 | 0 | 0 | | 1100 | .18-09 | b&h | | |
| Canon | RF 28-70/2 L USM | 24-70 | 2.0 | 24-70 | RF | 0.4 | 1.43 | 140 | 104 | 95 | 0 | 0 | | 3000 | .18-09 | b&h | | |

v.34

| Canon EOS EF Prime | | f (mm) | f/ (mm) | f(1.6x) (mm) | mt | MFD (m) | wt (kg) | L (mm) | D (mm) | Df (mm) | eBay | | | | other suppliers | | | | | |
|--------------------|-----------------------------|-----------|------------|-----------------|-----|------------|------------|-----------|-----------|------------|---------|--------|---------|--------|-----------------|--------|--------|-------------|--------|--------|
| | | | | | | | | | | | E to E+ | | M- to N | | E to E+ | | | M- to N | | |
| | | | | | | | | | | | \$US | date | \$US | date | \$US | date | site | \$US | date | site |
| Canon | TS-E 17/4 L | 17 | 4 | 27 | EFx | 0.3 | 0.82 | 107 | 89 | x | 1523 | .18-07 | 1727 | .18-08 | 1730 | .18-03 | b&h | 1840 | .17-03 | p'pro |
| Canon | TS-E 24/3.5 L | 24 | 3.5 | 38 | EFx | 0.3 | 0.57 | 87 | 78 | 72 | 597 | .18-08 | 791 | .18-08 | 800 | .16-08 | ado | 984 | .18-03 | b&h |
| Canon | TS-E 24/3.5 L II | 24 | 3.5 | 38 | EFx | 0.2 | 0.78 | 107 | 89 | 82 | 1307 | .18-08 | 1508 | .18-08 | 1510 | .18-07 | ado | 1710 | .17-06 | d'town |
| Canon | TS-E 45/2.8 | 45 | 2.8 | 72 | EFx | 0.4 | 0.65 | 90 | 81 | 72 | 477 | .18-08 | 636 | .18-08 | 1000 | .17-03 | prec'n | 1140 | .16-08 | d'town |
| Canon | TS-E 50/2.8 L Macro | 50 | 2.8 | 80 | EFx | 0.3 | 0.95 | 115 | 87 | 77 | 0 | | 0 | | | | | 2200 | .18-08 | b&h |
| Canon | TS-E 90/2.8 | 90 | 2.8 | 144 | EFx | 0.4 | 0.57 | 88 | 74 | 58 | 587 | .18-08 | 716 | .18-08 | 642 | .18-07 | camtec | 1050 | .18-03 | b&h |
| Canon | TS-E 90/2.8 L Macro | 90 | 2.8 | 144 | EFx | 0.4 | 0.92 | 117 | 87 | 77 | 0 | | 0 | | | | | 2200 | .18-08 | b&h |
| Canon | TS-E 135/4 L Macro | 135 | 4 | 216 | EFx | 0.5 | 1.11 | 139 | 89 | 82 | 0 | | 0 | | | | | 2200 | .18-08 | b&h |
| Canon | EF 14/2.8 L USM | 14 | 2.8 | 22 | EF | 0.3 | 0.56 | 89 | 77 | rg | 800 | .18-08 | 1124 | .16-03 | 1200 | .17-03 | prec'n | 1480 | .18-07 | keh |
| Canon | EF 14/2.8 L II USM | 14 | 2.8 | 22 | EF | 0.2 | 0.65 | 94 | 80 | rg | 980 | .18-08 | 1286 | .18-08 | 1000 | .18-07 | prec'n | 1574 | .18-07 | b&h |
| Canon | EF 15/2.8 (180/44) | 15 | 2.8 | 24 | EF | 0.2 | 0.33 | 62 | 73 | rg | 326 | .18-08 | 548 | .18-08 | 604 | .17-06 | d'town | 425 | .18-07 | igor |
| Canon | EF 20/2.8 USM | 20 | 2.8 | 32 | EF | 0.3 | 0.41 | 71 | 78 | 72 | 228 | .18-08 | 304 | .18-08 | 340 | .16-12 | keh | 390 | .17-03 | p'pro |
| Canon | EF 24/1.4 L USM | 24 | 1.4 | 38 | EF | 0.3 | 0.55 | 77 | 84 | 77 | 637 | .18-07 | 845 | .18-06 | 683 | .16-07 | ctc | | | |
| Canon | EF 24/1.4 L II USM | 24 | 1.4 | 38 | EF | 0.3 | 0.65 | 94 | 87 | 77 | 838 | .18-08 | 972 | .18-08 | 1020 | .18-07 | LA | 1288 | .18-07 | d'town |
| Canon | EF 24/2.8 | 24 | 2.8 | 38 | EF | 0.3 | 0.27 | 49 | 68 | 58 | 135 | .18-07 | 186 | .18-08 | 171 | .18-07 | camtec | 300 | .16-01 | keh |
| Canon | EF 24/2.8 IS USM | 24 | 2.8 | 38 | EF | 0.2 | 0.28 | 56 | 68 | 58 | 345 | .18-08 | 400 | .18-06 | 493 | .16-08 | ctc | 418 | .16-05 | d'town |
| Canon | EF 28/1.8 USM | 28 | 1.8 | 45 | EF | 0.3 | 0.31 | 56 | 74 | 58 | 243 | .18-07 | 308 | .18-08 | 350 | .18-07 | LA | 416 | .17-11 | camtec |
| Canon | EF 28/2.8 | 28 | 2.8 | 45 | EF | 0.3 | 0.19 | 43 | 67 | 52 | 112 | .18-07 | 157 | .18-07 | 180 | .18-03 | b&h | 141 | .18-03 | camtec |
| Canon | EF 28/2.8 IS USM | 28 | 2.8 | 45 | EF | 0.2 | 0.26 | 51 | 68 | 58 | 290 | .18-08 | 387 | .18-07 | 370 | .18-07 | LA | 462 | .18-03 | b&h |
| Canon | EF 35/1.4 L USM | 35 | 1.4 | 56 | EF | 0.3 | 0.58 | 86 | 79 | 72 | 726 | .18-08 | 854 | .18-08 | 759 | .18-07 | ctc | 725 | .17-02 | igor |
| Canon | EF 35/1.4 L II USM | 35 | 1.4 | 56 | EF | 0.3 | 0.76 | 106 | 80 | 72 | 1283 | .18-07 | 1465 | .18-08 | | | | 1800 | .15-09 | b&h |
| Canon | EF 35/2 | 35 | 2 | 56 | EF | 0.3 | 0.21 | 43 | 67 | 52 | 168 | .18-08 | 242 | .18-08 | 339 | .16-12 | keh | 247 | .18-07 | camtec |
| Canon | EF 35/2 IS | 35 | 2 | 56 | EF | 0.2 | 0.34 | 64 | 79 | 67 | 387 | .18-08 | 468 | .18-04 | | | | 487 | .16-12 | keh |
| Canon | EF 40/2.8 STM | 40 | 2.8 | 64 | EF | 0.3 | 0.13 | 23 | 69 | 52 | 95 | .18-07 | 115 | .18-08 | 110 | .18-07 | prec'n | 110 | .17-02 | igor |
| Canon | EF 50/1.0 L USM | 50 | 1 | 80 | EF | 0.6 | 0.99 | 82 | 92 | 72 | 3271 | .18-05 | 3869 | .18-07 | 4799 | .18-07 | keh | 4200 | .13-04 | cameta |
| Canon | EF 50/1.2 L USM | 50 | 1.2 | 80 | EF | 0.5 | 0.55 | 65 | 85 | 72 | 898 | .18-07 | 1048 | .18-08 | 980 | .18-07 | LA | 1170 | .18-07 | keh |
| Canon | EF 50/1.4 USM | 50 | 1.4 | 80 | EF | 0.5 | 0.29 | 51 | 74 | 58 | 183 | .18-08 | 234 | .18-08 | 240 | .18-07 | LA | 266 | .18-07 | d'town |
| Canon | EF 50/1.4 L IS USM | 50 | 1.4 | 80 | EF | | | | | | 0 | | 0 | | | | | | | |
| Canon | EF 50/1.8 | 50 | 1.8 | 80 | EF | 0.5 | 0.19 | 43 | 67 | 52 | 100 | .18-08 | 139 | .18-08 | 159 | .16-12 | keh | 125 | .16-12 | camW |
| Canon | EF 50/1.8 II | 50 | 1.8 | 80 | EF | 0.5 | 0.15 | 41 | 68 | 52 | 60 | .18-07 | 98 | .18-07 | 84 | .16-12 | keh | 85 | .16-08 | camW |
| Canon | EF 50/1.8 STM | 50 | 1.8 | 80 | EF | 0.4 | 0.16 | 41 | 69 | 49 | 92 | .18-07 | 105 | .18-07 | 105 | .16-09 | keh | 118 | .15-11 | keh |
| Canon | EF 50/2.5 Compact-Macro | 50 | 2.5 | 80 | EF | 0.2 | 0.28 | 63 | 68 | 52 | 134 | .18-07 | 184 | .18-07 | 220 | .16-09 | keh | 275 | .16-08 | jack's |
| Canon | Life Size Converter | x | x | x | EF | x | 0.16 | 35 | 68 | x | 66 | .18-08 | 116 | .18-08 | 238 | .16-12 | keh | | | |
| Canon | MP-E 65/2.8 Macro Photo [1] | 65 | 2.8 | 104 | EFx | 0.2 | 0.73 | 98 | 61 | 58 | 644 | .18-08 | 769 | .18-07 | 756 | .18-07 | d'town | 865 | .17-05 | p'pro |
| Canon | EF 85/1.2 L USM | 85 | 1.2 | 136 | EF | 1.0 | 1.03 | 84 | 92 | 72 | 918 | .18-08 | 1195 | .18-07 | 1120 | .18-07 | keh | 1300 | .18-07 | keh |
| Canon | EF 85/1.2 L II USM | 85 | 1.2 | 136 | EF | 1.0 | 1.03 | 84 | 92 | 72 | 1123 | .18-08 | 1366 | .18-07 | 1410 | .18-07 | LA | 1425 | .18-07 | camtec |
| Canon | EF 85/1.4 L IS USM | 85 | 1.4 | 136 | EF | 0.9 | 0.95 | 105 | 87 | 77 | 1381 | .18-07 | 1562 | .18-07 | | | | 1600 | .18-07 | b&h |
| Canon | EF 85/1.8 USM | 85 | 1.8 | 136 | EF | 0.9 | 0.43 | 72 | 75 | 58 | 236 | .18-08 | 287 | .18-08 | 245 | .18-07 | b&h | 680 | .18-07 | d'town |

| Canon EOS EF Prime | | f (mm) | f/ (mm) | f(1.6x) (mm) | mt | MFD (m) | wt (kg) | L (mm) | D (mm) | Df (mm) | eBay | | | | other suppliers (5 of 25) | | | | | |
|--------------------|---------------------------|-----------|------------|-----------------|----|------------|------------|-----------|-----------|------------|---------|--------|---------|--------|---------------------------|--------|--------|---------|--------|--------|
| | | | | | | | | | | | E to E+ | | M- to N | | E to E+ | | | M- to N | | |
| | | | | | | | | | | | \$US | date | \$US | date | \$US | date | site | \$US | date | site |
| | | | | | | | | | | | | | | | | | | | | |
| Canon | EF 100/2.0 USM | 100 | 2 | 160 | EF | 0.9 | 0.46 | 74 | 75 | 58 | 255 | .18-07 | 324 | .18-08 | 340 | .18-07 | LA | 400 | .18-07 | b&h |
| Canon | EF 100/2.8 Macro | 100 | 2.8 | 160 | EF | 0.3 | 0.60 | 119 | 79 | 58 | 211 | .18-08 | 254 | .18-04 | 278 | .16-09 | keh | 395 | .14-03 | camW |
| Canon | EF 100/2.8 Macro USM | 100 | 2.8 | 160 | EF | 0.3 | 0.60 | 119 | 79 | 58 | 266 | .18-07 | 333 | .18-08 | 290 | .18-07 | jack's | 400 | .16-12 | keh |
| Canon | EF 100/2.8 L IS Macro USM | 100 | 2.8 | 160 | EF | 0.3 | 0.63 | 123 | 78 | 67 | 600 | .18-08 | 692 | .18-07 | 600 | .18-07 | prec'n | 597 | .18-04 | camtec |
| Canon | EF 135/2 L USM | 135 | 2 | 216 | EF | 0.9 | 0.75 | 112 | 83 | 72 | 624 | .18-08 | 743 | .18-07 | 684 | .18-07 | camtec | 825 | .16-01 | camW |
| Canon | EF 135/2.8 Soft | 135 | 2.8 | 216 | EF | 1.3 | 0.39 | 98 | 69 | 52 | 153 | .18-07 | 214 | .18-07 | 245 | .16-12 | jack's | 300 | .16-01 | keh |
| Canon | EF 180/3.5 L Macro USM | 180 | 3.5 | 288 | EF | 0.5 | 1.09 | 187 | 83 | 72 | 684 | .18-07 | 840 | .18-07 | 950 | .18-07 | b&h | 749 | .18-07 | camtec |
| Canon | EF 200/1.8 L USM | 200 | 1.8 | 320 | EF | 2.5 | 3.00 | 208 | 130 | 48 di | 2665 | .18-06 | 3692 | .18-07 | 3500 | .16-01 | b&h | | | |
| Canon | EF 200/2 L IS USM | 200 | 2 | 320 | EF | 1.9 | 2.50 | 208 | 128 | 52 di | 4084 | .18-04 | 4677 | .18-05 | 4800 | .16-12 | b&h | 5000 | .16-08 | b&h |
| Canon | EF 200/2.8 L USM | 200 | 2.8 | 320 | EF | 1.5 | 0.79 | 136 | 83 | 72 | 371 | .18-04 | 494 | .18-04 | 293 | .18-04 | camtec | 600 | .15-04 | keh |
| Canon | EF 200/2.8 L II USM | 200 | 2.8 | 320 | EF | 1.5 | 0.77 | 136 | 83 | 72 | 453 | .18-08 | 558 | .18-07 | 550 | .17-05 | prec'n | 570 | .18-07 | camtec |
| Canon | EF 300/2.8 L USM | 300 | 2.8 | 480 | EF | 3.0 | 2.86 | 253 | 125 | 48 di | 1602 | .18-07 | 2165 | .18-06 | 2200 | .18-07 | keh | 1281 | .18-03 | camtec |
| Canon | EF 300/2.8 L IS USM | 300 | 2.8 | 480 | EF | 2.5 | 2.55 | 252 | 128 | 52 di | 2410 | .18-07 | 2869 | .18-07 | 3392 | .16-12 | keh | 3648 | .16-01 | camtec |
| Canon | EF 300/2.8 L IS II USM | 300 | 2.8 | 480 | EF | 2.0 | 2.35 | 248 | 128 | 52 di | 3872 | .18-07 | 4855 | .18-04 | 5100 | .18-07 | ado | 4800 | .18-03 | keh |
| Canon | EF 300/4 L USM | 300 | 4 | 480 | EF | 2.5 | 1.17 | 214 | 90 | 77 | 479 | .18-07 | 595 | .18-07 | 650 | .16-01 | keh | 1080 | .11-10 | keh |
| Canon | EF 300/4 L IS USM | 300 | 4 | 480 | EF | 1.5 | 1.19 | 221 | 90 | 77 | 613 | .18-08 | 836 | .18-07 | 810 | .18-07 | ado | 980 | .18-07 | b&h |
| Canon | EF 400/2.8 L USM | 400 | 2.8 | 640 | EF | 4.0 | 6.10 | 348 | 167 | 48 di | 2069 | .18-07 | 3150 | .16-04 | 3520 | .14-01 | keh | | | |
| Canon | EF 400/2.8 L II USM | 400 | 2.8 | 640 | EF | 4.0 | 5.91 | 348 | 167 | 48 di | 2344 | .18-07 | 3549 | .18-06 | 4300 | .16-09 | keh | 4995 | .15-11 | igor |
| Canon | EF 400/2.8 L IS USM | 400 | 2.8 | 640 | EF | 3.0 | 5.37 | 349 | 163 | 52 di | 3758 | .18-07 | 4936 | .18-05 | 5400 | .18-07 | b&h | 5200 | .16-12 | keh |
| Canon | EF 400/2.8 L IS II USM | 400 | 2.8 | 640 | EF | 2.7 | 3.85 | 343 | 163 | 52 di | 6593 | .18-07 | 8159 | .18-06 | 8120 | .16-01 | LA | 8815 | .15-04 | LA |
| Canon | EF 400/4 DO IS USM | 400 | 4 | 640 | EF | 3.5 | 1.94 | 233 | 128 | 52 di | 2452 | .18-07 | 2803 | .18-07 | 2660 | .16-12 | ctc | 5250 | .15-04 | LA |
| Canon | EF 400/4 DO IS II USM | 400 | 4 | 640 | EF | 3.3 | 2.10 | 233 | 128 | 52 di | 4503 | .18-07 | 5808 | .18-08 | | | | 6076 | .17-05 | d'town |
| Canon | EF 400/5.6 L USM | 400 | 5.6 | 640 | EF | 3.5 | 1.25 | 257 | 90 | 77 | 723 | .18-08 | 868 | .18-07 | 840 | .18-07 | LA | 910 | .18-07 | b&h |
| Canon | EF 500/4 L IS USM | 500 | 4 | 800 | EF | 4.5 | 3.87 | 387 | 146 | 52 di | 3745 | .18-07 | 4433 | .18-07 | 4600 | .18-07 | keh | 5000 | .16-12 | b&h |
| Canon | EF 500/4 L IS II USM | 500 | 4 | 800 | EF | 3.7 | 3.19 | 383 | 146 | 52 di | 6661 | .18-05 | 7597 | .18-08 | 7690 | .15-04 | LA | 7830 | .15-04 | LA |
| Canon | EF 500/4.5 L USM | 500 | 4.5 | 800 | EF | 5.0 | 3.00 | 390 | 130 | 48 di | 2237 | .18-06 | 3392 | .18-07 | 2472 | .16-12 | keh | 4460 | .12-02 | keh |
| Canon | EF 600/4 L USM | 600 | 4 | 960 | EF | 6.0 | 6.00 | 456 | 167 | 48 di | 2545 | .18-05 | 4529 | .18-07 | 3500 | .16-08 | b&h | 5295 | .11-11 | jack's |
| Canon | EF 600/4 L IS USM | 600 | 4 | 960 | EF | 5.5 | 5.36 | 456 | 168 | 52 di | 4533 | .18-08 | 5789 | .18-07 | 5800 | .18-03 | b&h | 6550 | .16-08 | b&h |
| Canon | EF 600/4 L IS II USM | 600 | 4 | 960 | EF | 4.5 | 3.92 | 447 | 168 | 52 di | 7934 | .18-06 | 8728 | .18-07 | | | | 9500 | .17-02 | d'town |
| Canon | EF 800/5.6 L IS USM | 800 | 5.6 | 1280 | EF | 6.0 | 4.50 | 461 | 162 | 52 di | 7260 | .18-05 | 8916 | .18-04 | 8200 | .18-07 | LA | 9300 | .18-03 | keh |
| Canon | EF 1200/5.6 L USM | 1200 | 5.6 | 1920 | EF | 14.0 | 16.50 | 836 | 228 | 48 di | 0 | | 0 | | 180k | .15-04 | b&h | 180x | .16-01 | b&h |

EF Extenders (teleconverters)

| | | | | | | | | | | | | | | | | | | | | |
|-------|----------------------|------|-----|-----|----|---|------|----|----|---|-----|--------|-----|--------|------|--------|--------|-----|--------|--------|
| Canon | Extender EF 1.4x | x1.4 | 1.4 | 1.4 | EF | - | 0.20 | 27 | 73 | - | 117 | .18-08 | 153 | .18-08 | 131 | .17-03 | p'pro | 165 | .13-07 | igor |
| Canon | Extender EF 1.4x II | x1.4 | 1.4 | 1.4 | EF | - | 0.22 | 27 | 73 | - | 146 | .18-07 | 191 | .18-08 | 266 | .18-07 | d'town | 225 | .16-12 | camW |
| Canon | Extender EF 1.4x III | x1.4 | 1.4 | 1.4 | EF | - | 0.23 | 27 | 73 | - | 305 | .17-11 | 352 | .18-07 | 376 | .18-07 | d'town | 385 | .17-06 | p'pro |
| Canon | Extender EF 2x | x2 | 2.0 | 2.0 | EF | - | 0.24 | 51 | | - | 107 | .17-05 | 157 | .18-08 | 140 | .16-12 | keh | 200 | .15-11 | keh |
| Canon | Extender EF 2x II | x2 | 2.0 | 2.0 | EF | - | 0.27 | 58 | 72 | - | 139 | .18-08 | 190 | .18-07 | 189 | .16-12 | ctc | 250 | .16-12 | camW |
| Canon | Extender EF 2x III | x2 | 2.0 | 2.0 | EF | - | 0.33 | 53 | 72 | - | 286 | .18-08 | 347 | .18-08 | 3430 | .18-07 | LA | 376 | .17-02 | d'town |

| Canon EOS EF Zoom | f (mm) | f/ (mm) | f(1.6x) (mm) | mt | MFD (m) | wt (kg) | L (mm) | D (mm) | Df (mm) | eBay | | | | other suppliers | | | | | |
|--------------------------------------|-----------|------------|-----------------|----|------------|------------|-----------|-----------|------------|---------|--------|-------------|--------|-----------------|--------|---------|-------------|--------|---------|
| | | | | | | | | | | E to E+ | | M- to N | | E to E+ | | M- to N | | | |
| | | | | | | | | | | \$US | date | \$US | date | \$US | date | site | \$US | date | site |
| Canon EF 11-24/4 L USM | 11-24 | 4 | 17-38 | EF | 0.3 | 1.18 | 132 | 109 | x | 2385 | .17-10 | 2436 | .18-07 | 2450 | .18-07 | keh | 2400 | .17-03 | p'pro |
| Canon EF 16-35/2.8 L USM | 16-35 | 2.8 | 26-56 | EF | 0.3 | 0.60 | 103 | 84 | 77 | 659 | .18-08 | 867 | .18-07 | 850 | .16-12 | camW | 880 | .16-12 | keh |
| Canon EF 16-35/2.8 L II USM | 16-35 | 2.8 | 26-56 | EF | 0.3 | 0.64 | 112 | 88 | 82 | 779 | .18-08 | 905 | .18-08 | 1010 | .18-07 | ado | 977 | .18-03 | camtec |
| Canon EF 16-35/2.8 L III USM | 16-35 | 2.8 | 26-56 | EF | 0.3 | 0.79 | 128 | 89 | 82 | 1428 | .18-04 | 1700 | .18-07 | | | | 1810 | .18-07 | ado |
| Canon EF 16-35/4 L IS USM | 16-35 | 4 | 26-56 | EF | 0.3 | 0.62 | 113 | 83 | 77 | 739 | .18-08 | 832 | .18-08 | 756 | .18-07 | d'town | 910 | .16-12 | ado |
| Canon EF 17-35/2.8 L USM | 17-35 | 2.8 | 27-56 | EF | 0.4 | 0.55 | 96 | 84 | 77 | 447 | .18-07 | 549 | .18-04 | 792 | .16-12 | keh | 595 | .16-01 | camW |
| Canon EF 17-40/4 L USM | 17-40 | 4 | 27-64 | EF | 0.3 | 0.50 | 97 | 84 | 77 | 381 | .18-08 | 475 | .18-08 | 570 | .18-07 | d'town | 640 | .18-03 | b&h |
| Canon EF 20-35/2.8 L USM | 20-35 | 2.8 | 32-56 | EF | 0.5 | 0.54 | 79 | 89 | 72 | 367 | .18-08 | 452 | .18-08 | 600 | .16-12 | keh | 795 | .12-04 | camW |
| Canon EF 24-70/2.8 L USM | 24-70 | 2.8 | 38-110 | EF | 0.4 | 0.95 | 124 | 83 | 77 | 694 | .18-08 | 889 | .18-08 | 910 | .18-07 | ado | 1100 | .18-07 | b&h |
| Canon EF 24-70/2.8 L II USM | 24-70 | 2.8 | 38-110 | EF | 0.4 | 0.80 | 112 | 89 | 82 | 1181 | .18-08 | 1371 | .18-08 | 1310 | .18-07 | b&h | 1550 | .18-07 | keh |
| Canon EF 24-70/4 L IS USM | 24-70 | 4 | 38-110 | EF | 0.2 | 0.60 | 94 | 84 | 77 | 532 | .18-07 | 645 | .18-07 | 650 | .18-07 | LA | 710 | .18-07 | ado |
| Canon EF 24-105/4 L IS USM | 24-105 | 4 | 38-168 | EF | 0.5 | 0.67 | 107 | 84 | 77 | 437 | .18-08 | 524 | .18-08 | 495 | .18-07 | jack's | 680 | .18-07 | d'town |
| Canon EF 24-105/4 L IS II USM | 24-105 | 4 | 38-168 | EF | 0.5 | 0.80 | 118 | 84 | 77 | 581 | .18-08 | 732 | .18-08 | 870 | .18-07 | LA | 870 | .18-03 | camtec |
| Canon EF 28-70/2.8 L USM | 28-70 | 2.8 | 45-110 | EF | 0.5 | 0.88 | 118 | 83 | 77 | 470 | .18-07 | 598 | .18-08 | 698 | .16-12 | keh | 695 | .16-12 | camW |
| Canon EF 28-80/2.8-4 L USM | 28-80 | 2.8-4 | 45-128 | EF | 0.3 | 0.95 | 120 | 84 | 72 | 345 | .18-07 | 439 | .18-07 | 620 | .16-12 | keh | 600 | .16-12 | keh |
| Canon EF 70-200/2.8 L USM | 70-200 | 2.8 | 110-320 | EF | 1.5 | 1.31 | 194 | 85 | 77 | 771 | .18-08 | 941 | .18-08 | 990 | .18-07 | LA | 1070 | .16-01 | ado |
| Canon EF 70-200/2.8 L IS USM | 70-200 | 2.8 | 110-320 | EF | 1.4 | 1.59 | 197 | 86 | 77 | 919 | .18-08 | 1220 | .18-07 | 1160 | .18-07 | ado | 1300 | .18-07 | b&h |
| Canon EF 70-200/2.8 L IS II USM | 70-200 | 2.8 | 110-320 | EF | 1.2 | 1.49 | 199 | 89 | 77 | 1266 | .18-09 | 1546 | .18-09 | 1460 | .18-07 | ado | 1700 | .18-08 | ap'ture |
| Canon EF 70-200/4 L USM | 70-200 | 4 | 110-320 | EF | 1.2 | 0.71 | 173 | 77 | 67 | 401 | .18-08 | 504 | .18-08 | 450 | .18-07 | prec'n | 530 | .18-03 | b&h |
| Canon EF 70-200/4 L IS USM | 70-200 | 4 | 110-320 | EF | 1.2 | 0.76 | 172 | 76 | 67 | 684 | .18-08 | 783 | .18-08 | 680 | .18-07 | ado | 960 | .18-03 | b&h |
| Canon EF 70-200/4 L IS II USM | 70-200 | 4 | 110-320 | EF | 1.0 | 0.78 | 176 | 80 | 72 | 0 | | 0 | | | | | 1400 | .18-07 | b&h |
| Canon EF 80-200/2.8 L | 80-200 | 2.8 | 128-320 | EF | 1.8 | 1.33 | 186 | 84 | 72 | 466 | .18-08 | 607 | .18-06 | 730 | .16-09 | keh | 631 | .18-08 | ap'ture |
| Canon EF 200-400/4 L IS 1.4x | 200-400 | 4, 5.6 | 320-640 | EF | 2.0 | 3.62 | 366 | 128 | 52di | 7385 | .18-08 | 8100 | .18-08 | 6753 | .18-03 | camtec | 9349 | .18-07 | b&h |
| Canon EF 8-15mm f/4L Fisheye USM | 8-15 | 4 | 13-24 | EF | 0.2 | 0.54 | 83 | 79 | x | 785 | .18-08 | 935 | .18-08 | 960 | .18-07 | ado | 890 | .18-08 | ap'ture |
| Canon EF 28-300/3.5-5.6 L IS USM | 28-300 | 3.5-5.6 | 45-420 | EF | 0.7 | 1.67 | 184 | 92 | 77 | 1244 | .18-08 | 1609 | .18-06 | 1212 | .18-07 | d'town | 1665 | .18-08 | ap'ture |
| Canon EF 35-350/3.5-5.6 L USM | 35-350 | 3.5-5.6 | 56-560 | EF | 0.6 | 1.39 | 167 | 85 | 72 | 693 | .18-08 | 1007 | .18-06 | 850 | .17-05 | prec'n | 1245 | .12-12 | igor |
| Canon EF 50-200/3.5-4.5 L | 50-200 | 3.5-4.5 | 80-320 | EF | 1.2 | 0.70 | 146 | 76 | 58 | 243 | .18-05 | 337 | .18-08 | 420 | .16-09 | keh | 500 | .09-02 | keh |
| Canon EF 70-300/4-5.6L IS USM | 70-300 | 4-5.6 | 110-420 | EF | 1.2 | 1.05 | 143 | 89 | 67 | 752 | .18-08 | 924 | .18-08 | 910 | .18-07 | ado | 1026 | .18-07 | camtec |
| Canon EF 100-300/5.6 L | 100-300 | 5.6 | 160-420 | EF | 1.5 | 0.70 | 167 | 75 | 58 | 210 | .18-08 | 293 | .18-06 | 330 | .18-03 | b&h | 400 | .16-01 | b&h |
| Canon EF 100-400/4.5-5.6 L IS USM | 100-400 | 4.5-5.6 | 160-640 | EF | 1.8 | 1.38 | 189 | 92 | 77 | 715 | .18-08 | 909 | .18-07 | 597 | .18-03 | camtec | 1140 | .16-12 | camtec |
| Canon EF 100-400/4.5-5.6 L IS II USM | 100-400 | 4.5-5.6 | 160-640 | EF | 1.0 | 1.57 | 193 | 94 | 77 | 1378 | .18-08 | 1651 | .18-08 | 1516 | .18-07 | d'town | 1675 | .18-03 | igor |
| Canon EF 28-135/3.5-5.6 IS USM | 28-135 | 3.5-5.6 | 45-215 | EF | 0.5 | 0.54 | 97 | 78 | 72 | 119 | .18-08 | 168 | .18-07 | 175 | .18-07 | jack's | 230 | .18-07 | b&h |
| Canon EF 70-300/4-5.6 IS USM | 70-300 | 4-5.6 | 110-420 | EF | 1.5 | 0.63 | 143 | 76 | 58 | 169 | .18-08 | 227 | .18-08 | 204 | .18-07 | ctc | 235 | .18-07 | b&h |
| Canon EF 70-300/4-5.6 IS II nUSM | 70-300 | 4-5.6 | 110-420 | EF | 1.2 | 0.71 | 146 | 80 | 67 | 320 | .18-07 | 369 | .18-06 | | | | | | |
| Canon EF 70-300/4.5-5.6 DO IS USM | 70-300 | 4.5-5.6 | 110-420 | EF | 1.4 | 0.71 | 100 | 82 | 58 | 356 | .18-08 | 463 | .18-06 | 437 | .18-07 | d'town | 590 | .18-07 | b&h |

| Canon EOS EF-S | | | | | | | | | | | eBay | | other suppliers | | | | | | | |
|---------------------------------------|-----------------------------|--------|---------|--------|------|------|------|-----|----|--------|---------|--------|-----------------|--------|---------|--------|---------|-------------|--------|--------|
| | | | | | | | | | | | E to E+ | | M- to N | | E to E+ | | M- to N | | | |
| | | | | | | | | | | | \$US | date | \$US | date | \$US | date | site | \$US | date | site |
| f | f/ | mt | MFD | wt | L | D | Df | | | | | | | | | | | | | |
| (mm) | | | (m) | (kg) | (mm) | (mm) | (mm) | | | | | | | | | | | | | |
| EF-S Lenses (APS-C, R = 44 mm) | | | | | | | | | | | | | | | | | | | | |
| Canon | EF-S 24/2.8 STM | 24 | 2.8 | 38.4 | EF-S | 0.2 | 0.13 | 23 | 68 | 52 | 101 | .18-08 | 126 | .18-08 | 129 | .18-07 | d'town | 126 | .16-09 | keh |
| Canon | EF-S 35/2.8 Macro IS STM | 35 | 2.8 | 56 | EF-S | 0.1 | 0.19 | 56 | 69 | 49 | 224 | .18-07 | 256 | .18-06 | | | | | | |
| Canon | EF-S 60/2.8 Macro USM | 60 | 2.8 | 96 | EF-S | 0.2 | 0.34 | 73 | 70 | 52 | 223 | .18-07 | 284 | .18-08 | 250 | .18-03 | ctc | 225 | .18-07 | igor |
| Sigma | Art 30/1.4 DC HSM | 30 | 1.4 | 48 | EF-S | 0.3 | 0.44 | 63 | 74 | 62 | 259 | .18-08 | 342 | .18-07 | 376 | .18-07 | d'town | 500 | .18-05 | b&h |
| Tamron | SP 60/2 Macro | 60 | 2.0 | 96 | EF-S | 0.2 | 0.39 | 80 | 73 | 55 | 160 | .18-02 | 217 | .18-07 | 280 | .16-09 | keh | 320 | .17-02 | igor |
| Canon | EF-S 10-18/4.5-5.6 IS STM | 10-18 | 4.5-5.6 | 16-28 | EF-S | 0.2 | 0.24 | 72 | 75 | 67 | 189 | .18-08 | 228 | .18-08 | 209 | .18-07 | d'town | 268 | .16-01 | keh |
| Canon | EF-S 10-22/3.5-4.5 USM | 10-22 | 3.5-4.5 | 16-35 | EF-S | 0.2 | 0.39 | 90 | 84 | 77 | 243 | .18-08 | 314 | .18-08 | 278 | .18-07 | keh | 425 | .16-12 | camW |
| Canon | EF-S 15-85/3.5-5.6 IS USM | 15-85 | 3.5-5.6 | 24-135 | EF-S | 0.4 | 0.58 | 88 | 82 | 72 | 259 | .18-08 | 361 | .18-08 | 400 | .18-07 | keh | 468 | .16-12 | keh |
| Canon | EF-S 17-55/2.8 IS USM | 17-55 | 2.8 | 27-88 | EF-S | 0.4 | 0.65 | 110 | 84 | 77 | 406 | .18-07 | 498 | .18-07 | 572 | .18-07 | keh | 452 | .18-07 | d'town |
| Canon | EF-S 18-55/3.5-5.6 IS STM | 18-55 | 3.5-5.6 | 29-88 | EF-S | 0.3 | 0.21 | 75 | 69 | 52 | 64 | .18-06 | 92 | .18-08 | 100 | .17-03 | k'more | 115 | .16-12 | keh |
| Canon | EF-S 18-55/4-5.6 IS STM | 18-55 | 4-5.6 | 29-88 | EF-S | 0.3 | 0.22 | 62 | 67 | 58 | 0 | | 0 | | | | | 249 | .17-06 | b&h |
| Canon | EF-S 18-135/3.5-5.6 IS STM | 18-135 | 3.5-5.6 | 29-216 | EF-S | 0.4 | 0.48 | 96 | 77 | 67 | 155 | .18-08 | 202 | .18-08 | 300 | .18-07 | prec'n | 260 | .18-03 | b&h |
| Canon | EF-S 18-135/3.5-5.6 IS nUSM | 18-135 | 3.5-5.6 | 29-216 | EF-S | 0.4 | 0.52 | 96 | 77 | 67 | 254 | .18-08 | 350 | .18-04 | 360 | .18-07 | LA | 600 | .16-08 | b&h |
| Canon | EF-S 55-250/4-5.6 IS STM | 55-250 | 4-5.6 | 88-400 | EF-S | 0.9 | 0.38 | 111 | 70 | 58 | 105 | .18-08 | 126 | .18-08 | 98 | .15-10 | ctc | 125 | .16-12 | camW |
| Sigma | Art 18-35/1.8 DC HSM | 18-35 | 1.8 | 29-88 | EF-S | 0.3 | 0.81 | 121 | 78 | 72 | 521 | .18-08 | 627 | .18-07 | 531 | .18-07 | ctc | 620 | .17-08 | igor |
| Sigma | Art 50-100/1.8 DC HSM | 50-100 | 1.8 | 80-160 | EF-S | 1.0 | 1.49 | 171 | 94 | 82 | 742 | .18-08 | 822 | .18-08 | 912 | .18-03 | camtec | 1100 | .18-05 | b&h |
| Sigma | EX DC 50-150/2.8 | 50-150 | 2.8 | 80-235 | EF-S | 0.8 | 1.34 | 199 | 86 | 67 | 384 | .18-08 | 629 | .18-08 | 367 | .16-09 | keh | | | |
| Tokina | AT-X Pro 11-20/2.8 DX | 11-20 | 2.8 | 18-32 | EF-S | 0.3 | 0.56 | 92 | 89 | 82 | 323 | .18-06 | 390 | .18-06 | | | | 500 | .18-07 | b&h |
| Tokina | AT-X Pro 12-28/4 DX | 12-28 | 4 | 19-45 | EF-S | 0.3 | 0.53 | 90 | 84 | 77 | 145 | .18-06 | 229 | .18-07 | | | | 300 | .18-07 | b&h |
| Tokina | AT-X Pro 14-20/2 DX | 14-20 | 2 | 22-32 | EF-S | 0.3 | 0.73 | 106 | 89 | 82 | 0 | | 490 | .18-05 | | | | 600 | .18-07 | b&h |
| Tokina | AT-X Pro 16-50/2.8 DX SD | 16-50 | 2.8 | 26-80 | EF-S | 0.3 | 0.61 | 97 | 84 | 77 | 0 | | 218 | .18-05 | 190 | .18-07 | d'town | | | |
| Tokina | AT-X Pro 50-135/2.8 DX | 50-135 | 2.8 | 80-216 | EF-S | 1.0 | 0.85 | 135 | 78 | 67 | 275 | .18-06 | 308 | .18-06 | | | | | | |
| EF-S Manual Focus Lenses | | | | | | | | | | | | | | | | | | | | |
| Rokinon | 10/2.8 NCS | 10 | 2.8 | 16 | EF-S | 0.2 | 0.59 | 106 | 87 | .18-01 | 0 | | 0 | | | | | | | |
| Rokinon | 16/2 ED AS UMC | 16 | 2 | 26 | EF-S | 0.2 | 0.58 | 89 | 83 | 77 | 0 | | 216 | .18-07 | 170 | .18-07 | LA | 319 | .17-06 | b&h |

| Canon EOS EF-M | | | | | | | | | | | eBay | | other suppliers | | | | | | | |
|--------------------------------------|------------------------------|--------|---------|--------|------|------|------|-----|----|--------|---------|--------|-----------------|--------|---------|--------|---------|------------|--------|------|
| | | | | | | | | | | | E to E+ | | M- to N | | E to E+ | | M- to N | | | |
| | | | | | | | | | | | \$US | date | \$US | date | \$US | date | site | \$US | date | site |
| f | f/ | mt | MFD | wt | L | D | Df | | | | | | | | | | | | | |
| (mm) | | | (m) | (kg) | (mm) | (mm) | (mm) | | | | | | | | | | | | | |
| EF-M Lenses (APS-C, R = 18mm) | | | | | | | | | | | | | | | | | | | | |
| Canon | EF-M 22/2 | 22 | 2 | 35.2 | EF-M | 0.2 | 0.11 | 24 | 61 | 43 | 116 | .18-08 | 182 | .18-08 | 182 | .18-07 | keh | 250 | .16-09 | b&h |
| Canon | EF-M 32/1.4 STM | 32 | 1.4 | 51 | EF-M | 0.2 | 0.24 | 57 | 61 | 43 | | | | | | | | 480 | .18-09 | b&h |
| Canon | EF-M 28/3.5 IS STM Macro [2] | 28 | 3.5 | 45 | EF-M | 0.1 | 0.13 | 46 | 61 | 43 | 185 | .18-07 | 243 | .18-07 | 224 | .18-07 | d'town | 300 | .16-09 | b&h |
| Canon | EF-M 11-22/4-5.6 IS STM | 11-22 | 4-5.6 | 18-35 | EF-M | 0.2 | 0.22 | 58 | 61 | 55 | 290 | .18-07 | 318 | .18-08 | 300 | .18-03 | d'town | 400 | .16-09 | b&h |
| Canon | EF-M 15-45/3.5-6.3 IS STM | 15-45 | 3.5-6.3 | 24-72 | EF-M | 0.3 | 0.13 | 45 | 61 | 49 | 110 | .18-08 | 132 | .18-07 | 168 | .18-07 | keh | 182 | .18-07 | keh |
| Canon | EF-M 18-55/3.5-5.6 IS STM | 18-55 | 3.5-5.6 | 29-88 | EF-M | 0.3 | 0.21 | 61 | 61 | 52 | 73 | .18-08 | 104 | .18-06 | 105 | .18-07 | keh | 400 | .16-09 | b&h |
| Canon | EF-M 18-150/3.5-6.3 IS STM | 18-150 | 3.5-6.3 | 29-240 | EF-M | 0.3 | 0.30 | 86 | 61 | 55 | 0 | | | | | | | 500 | .16-09 | b&h |
| Canon | EF-M 55-200/4.5-6.3 IS STM | 55-200 | 4.5-6.3 | 88-320 | EF-M | 1.0 | 0.26 | 87 | 61 | 52 | 168 | .18-06 | 208 | .18-08 | | | | 133 | .16-09 | keh |
| Canon | EF-M adapter for EF/EF-S | - | - | - | EF-M | - | 0.05 | 23 | 76 | .18-01 | 81 | .18-07 | 99 | .18-07 | | | | 350 | .16-09 | b&h |
| Rokinon | 10/2.8 ED AS NCS | 10 | 2.8 | 16 | EF-M | 0.2 | 0.62 | 73 | 86 | .18-01 | 177 | .18-06 | 275 | .18-06 | | | | 310 | .18-07 | ado |
| Rokinon | 12/2 NCS | 12 | 2 | 19.2 | EF-M | 0.2 | 0.25 | 59 | 73 | 67 | 142 | .18-06 | 257 | .18-07 | | | | 280 | .18-07 | ado |
| Rokinon | 16/2 ED UMC | 16 | 2 | 26 | EF-M | 0.2 | 0.61 | 115 | 86 | 77 | 135 | .18-05 | 223 | .18-06 | | | | 360 | .16-09 | b&h |
| Rokinon | 21/1.4 | 21 | 1.4 | 35 | EF-M | 0.3 | 0.28 | 68 | 64 | 58 | 0 | | 0 | | 260 | .18-07 | ado | 400 | .16-09 | b&h |
| Rokinon | 35/1.2 ED AS UMC | 35 | 1.2 | 56 | EF-M | | | | | | 0 | | 0 | | | | | 380 | .18-07 | ado |
| Rokinon | 50/1.2 | 50 | 1.2 | 80 | EF-M | 0.5 | 0.39 | 74 | 68 | 62 | 0 | | 0 | | | | | 350 | .18-07 | ado |

| | | | | | | | | | | | eBay | | other suppliers | | | | | |
|----------------------------|-------------------------------|---------|---------|--------|------|------|------|------|---------|------|---------|--------|-----------------|--------|-------------------|-------------|--------|--------|
| f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | E to E+ | | M- to N | | E to E+ | | | M- to N | | |
| (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | \$US | date | \$US | date | \$US | date | site | \$US | date | site |
| Sigma Art autofocus | | | | | | | | | | | | | | | | | | |
| Sigma | Art 14/1.8 DG HSM | 14 | 1.8 | 22 | EF | 0.3 | 1.17 | 126 | 95 | x | 879 | .18-08 | 1229 | .18-08 | | 1600 | .18-05 | b&h |
| Sigma | Art 20/1.8 DG HSM | 20 | 1.4 | 32 | EF | 0.3 | 0.95 | 130 | 91 | x | 669 | .18-04 | 789 | .16-08 | | 900 | .18-05 | b&h |
| Sigma | Art 24/1.4 ASP DG HSM | 24 | 1.4 | 38 | EF | 0.3 | 0.67 | 90 | 85 | 77 | 557 | .18-08 | 636 | .18-08 | 0 | 850 | .18-05 | b&h |
| Sigma | Art 35/1.4 DG HSM | 35 | 1.4 | 56 | EF | 0.3 | 0.67 | 94 | 77 | 67 | 606 | .18-08 | 696 | .18-08 | 570 .15-11 camtec | 900 | .18-05 | b&h |
| Sigma | Art 50/1.4 DG HSM | 50 | 1.4 | 80 | EF | 0.4 | 0.82 | 100 | 85 | 77 | 614 | .18-08 | 694 | .18-07 | 630 .16-07 ctc | 950 | .18-05 | b&h |
| Sigma | Art 70/2.8 DG macro | 70 | 2.8 | 112 | EF | 0.3 | 0.52 | 106 | 71 | 49 | 0 | | 0 | | | 570 | .18-05 | b&h |
| Sigma | Art 85/1.4 DG HSM | 85 | 1.4 | 136 | EF | 0.9 | 1.13 | 126 | 95 | 86 | 846 | .18-08 | 1035 | .18-06 | 832 .18-07 d'town | 1200 | .18-07 | b&h |
| Sigma | Art 105/1.4 DG HSM | 105 | 1.4 | 168 | EF | 1.0 | 1.64 | 132 | 116 | 105 | 0 | | 1840 | .18-07 | | 1600 | .18-05 | b&h |
| Sigma | Art 135/1.8 DG HSM | 135 | 1.8 | 216 | EF | 0.9 | 1.13 | 115 | 91 | 82 | 0 | | 1018 | .18-08 | | 1400 | .18-05 | b&h |
| Sigma | Art 14-24/2.8 DG HSM | 14-24 | 2.8 | 22-38 | EF | 0.3 | 1.15 | 135 | 96 | x | 0 | | 0 | | | 1300 | .18-05 | b&h |
| Sigma | Art 12-24/4 DG HSM | 12-24 | 4 | 19-38 | EF | 0.2 | 1.15 | 132 | 109 | x | 0 | | 0 | | | 1600 | .18-05 | b&h |
| Sigma | Art 24-35/2 DG HSM | 24-35 | 2 | 38-56 | EF | 0.3 | 0.94 | 123 | 88 | 82 | 607 | .18-04 | 793 | .18-08 | 703 .16-12 camtec | 1000 | .18-05 | b&h |
| Sigma | Art 24-70/2.8 OS DG HSM | 24-70 | 2.8 | 38-112 | EF | 0.4 | 1.02 | 108 | 88 | 82 | 800 | .18-08 | 0 | | | 1300 | .18-05 | b&h |
| Sigma | Art 24-105/4 OS DG HSM | 24-105 | 4.0 | 38-155 | EF | 0.5 | 0.89 | 109 | 89 | 82 | 438 | .18-08 | 641 | .18-08 | 608 .15-11 henrys | 900 | .18-05 | b&h |
| Sigma EX autofocus | | | | | | | | | | | | | | | | | | |
| Sigma | EX 14/2.8 ASP IF DG | 14 | 2.8 | 22 | EF | 0.2 | 0.63 | 91 | 82 | rg | 359 | .18-04 | 506 | .16-05 | 468 .16-09 keh | | | |
| Sigma | EX 20/1.8 Asp DG RF rl | 20 | 1.8 | 32 | EF | 0.2 | 0.52 | 87 | 89 | 82 | 237 | .17-05 | 387 | .16-09 | 376 .17-06 d'town | 450 | .14-08 | LA |
| Sigma | EX 24/1.8ASP DG DF rl | 24 | 1.8 | 38 | EF | 0.2 | 0.49 | 80 | 83 | 77 | 294 | .16-08 | 366 | .15-01 | | 195 | .16-12 | camW |
| Sigma | EX 28/1.8 | 28 | 1.8 | 45 | EF | 0.3 | 0.29 | 62 | 69 | 58 | 176 | .17-05 | 240 | .16-08 | 275 .14-01 keh | 450 | .14-03 | ado |
| Sigma | EX 50/1.4 DG HSM | 50 | 1.4 | 80 | EF | 0.5 | 0.51 | 68 | 85 | 77 | 249 | .16-08 | 330 | .18-03 | 300 .18-07 d'town | 350 | .15-04 | LA |
| Sigma | EX 70/2.8 DG macro | 70 | 2.8 | 112 | EF | 0.3 | 0.53 | 95 | 76 | 62 | 202 | .16-08 | 315 | .16-08 | 328 .16-09 keh | 370 | .14-08 | LA |
| Sigma | EX 85/1.4 DG | 85 | 1.4 | 136 | EF | 0.9 | 0.73 | 86 | 86 | 77 | 522 | .18-06 | 654 | .18-03 | 650 .18-07 LA | 722 | .16-12 | camtec |
| Sigma | EX 105/2.8 macro | 105 | 2.8 | 168 | EF | 0.3 | 0.45 | 95 | 74 | 58 | 186 | .17-05 | 240 | .18-08 | 186 .18-03 camtec | 340 | .12-02 | keh |
| Sigma | EX 105/2.8 macro OS | 105 | 2.8 | 168 | EF | 0.3 | 0.73 | 126 | 79 | 62 | 405 | .16-01 | 499 | .17-05 | 550 .14-08 ado | | | |
| Sigma | EX 150/2.8 DG APO Macro | 150 | 2.8 | 240 | EF | 0.4 | 0.90 | 137 | 80 | 72 | 355 | .16-12 | 502 | .16-04 | 480 .15-11 ado | 600 | .14-08 | ado |
| Sigma | EX 150/2.8 DG APO Macro OS | 150 | 2.8 | 240 | EF | 0.4 | 1.15 | 150 | 80 | 72 | 723 | .16-04 | 917 | .14-08 | 660 .18-07 LA | 745 | .16-09 | igor |
| Sigma | EX 180/2.8 APO Macro OS [1:1] | 180 | 2.8 | 288 | EF | 0.5 | 1.63 | 204 | 95 | 86 | 0 | | 1100 | .18-07 | 1220 .18-07 keh | | | |
| Sigma | EX 180/3.5 APO Macro | 180 | 3.5 | 288 | EF | 0.5 | 0.95 | 180 | 80 | 72 | 376 | .18-07 | 557 | .14-03 | 415 .16-01 jack's | | | |
| Sigma | EX 300/2.8 AF APO | 300 | 2.8 | 480 | EF | 2.5 | 2.40 | 214 | 119 | 46 | 899 | .16-05 | 1648 | .16-01 | 1900 .14-03 keh | 2600 | .14-08 | ado |
| Sigma | EX 500/4.5 DG APO AF | 500 | 4.5 | 800 | EF | 4.0 | 3.10 | 350 | 123 | 46 | 1703 | .16-08 | 2466 | .16-01 | 2292 .18-07 keh | 2750 | .18-07 | b&h |
| Sigma | EX 500/4 DG OS HSM | 500 | 4 | 800 | EF | 3.5 | 3.31 | 380 | 145 | 46 | 0 | | 0 | | 2292 .18-07 keh | 6000 | .16-09 | b&h |
| Sigma | EX 800/5.6 DG APO AF | 800 | 5.6 | 1280 | EF | 7.0 | 4.74 | 520 | 157 | 46 | 3502 | .15-04 | 4266 | .13-01 | 2300 .15-04 b&h | | | |
| Sigma | EX 12-24/4.5-5.6 ASP DG rl | 12-24 | 4.5-5.6 | 19-38 | EF | 0.3 | 0.67 | 119 | 84 | x | 385 | .18-07 | 614 | .16-08 | | | | |
| Sigma | EX 24-70/2.8 ASP DF DG | 24-70 | 2.8 | 38-112 | EF | 0.4 | 0.70 | 114 | 89 | 82 | 270 | .16-09 | 366 | .18-01 | 367 .16-09 keh | 364 | .14-08 | camtec |
| Sigma | EX 28-70/2.8 ASP EX DG | 28-70 | 2.8 | 45-112 | EF | 0.4 | 0.65 | 101 | 84 | 77 | 222 | .16-03 | 272 | .14-03 | 254 .14-03 keh | | | |
| Sigma | EX 50-500/4-5.6 APO | 50-500 | 4-6.5 | 80-800 | EF | 1-3 | 1.65 | 218 | 94 | 86c | 511 | .17-05 | 748 | .15-03 | 550 .15-04 keh | 695 | .14-03 | keh |
| Sigma | EX 50-500/4-5.6 APO OS | 50-500 | 4-6.5 | 80-800 | EF | 0.5 | 1.96 | 218 | 104 | 95 | 713 | .18-03 | 1033 | .17-05 | 960 .16-09 keh | | | |

| | | | | | | | | | | | eBay | | | | other suppliers | | | | | |
|-------|---------------------------|---------|-------|----------|------|---------|------|------|---------|------|---------|--------|---------|--------|-----------------|--------|--------|-------------|--------|--------|
| f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | E to E+ | | M- to N | | E to E+ | | M- to N | | | | | |
| (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | \$US | date | \$US | date | \$US | date | site | \$US | date | site | | |
| Sigma | EX 70-200/2.8 APO | 70-200 | 2.8 | 112-320 | EF | 1.8 | 1.39 | 180 | 86 | 77 | 456 | .18-08 | 554 | .18-08 | 610 | .15-11 | ado | 725 | .14-03 | keh |
| Sigma | EX 70-200/2.8 APO OS | 70-200 | 2.8 | 112-320 | EF | 1.4 | 1.43 | 198 | 86 | 77 | 697 | .18-03 | 850 | .18-03 | 1000 | .18-07 | keh | 1030 | .14-08 | LA |
| Sigma | 100-400/5-6.3 DG OS HSM | 100-400 | 5-6.3 | 160-640 | EF | 0.2 | 1.16 | 182 | 86 | 67 | 0 | | 0 | | | | | | | |
| Sigma | EX 120-300/2.8 HSM | 120-300 | 2.8 | 192-480 | EF | 2.5 | 2.60 | 269 | 113 | 105 | 837 | .18-07 | 1203 | .17-01 | 1360 | .15-04 | keh | 1896 | .18-03 | d'town |
| Sigma | EX 120-300/2.8 OS HSM | 120-300 | 2.8 | 192-480 | EF | 1.5-2.5 | 2.95 | 289 | 114 | 105 | 1304 | .18-07 | 2163 | .14-07 | 1700 | .15-04 | ado | 2700 | .13-04 | b&h |
| Sigma | EX 120-300/2.8 OS S HSM | 120-300 | 2.8 | 192-480 | EF | 1.5 | 3.39 | 291 | 121 | 105 | 2248 | .18-04 | 2561 | .16-01 | 2900 | .16-09 | keh | 3600 | .14-08 | keh |
| Sigma | DG 150-500 OS APO HSM | 150-500 | 5-6.3 | 240-800 | EF | 2.2 | 1.91 | 252 | 75 | 58 | 454 | .18-07 | 647 | .18-07 | 452 | .18-03 | d'town | 650 | .16-09 | keh |
| Sigma | DG 150-600 OS C | 150-600 | 5-6.3 | 240-960 | EF | 2.8 | 1.93 | 260 | 105 | 95 | 696 | .18-07 | 789 | .18-07 | | | | 1090 | .15-06 | b&h |
| Sigma | DG 150-600 OS S | 150-600 | 5-6.3 | 240-960 | EF | 2.9 | 2.86 | 290 | 121 | 105 | 1090 | .18-04 | 1228 | .18-06 | | | | 2000 | .15-06 | b&h |
| Sigma | EX 200-500/2.8 APO IF HSM | 200-500 | 2.8 | 320-800 | EF | 2.5 | 15.7 | 726 | 236 | 72di | 0 | | (23.2k) | .09-04 | | | | 17k | .16-02 | b&h |
| Sigma | EX 300-800/5.6 APO IF HSM | 300-800 | 5.6 | 480-1280 | EF | 6.0 | 5.87 | 542 | 166 | 46di | 2789 | .16-08 | 5587 | .15-02 | 4462 | .18-07 | keh | 4850 | .12-01 | ado |

Tokina manual and autofocus

| | | | | | | | | | | | | | | | | | | | | |
|--------|------------------------|---------|---------|---------|----|-----|------|-----|-----|-----|-----|--------|------------|--------|------|--------|--------|-----|--------|-----|
| Tokina | RMC 17/3.5 SL | 17 | 3.5 | 27 | x | 0.3 | 0.29 | 52 | 70 | 67 | 180 | zz | 246 | .18-07 | 175 | .17-10 | igor | | | |
| Tokina | AT-X 17/3.5 AF Pro | 17 | 3.5 | 27 | EF | 0.3 | 0.44 | 65 | 88 | 77 | 253 | .18-07 | 349 | .18-06 | 300 | .16-01 | keh | 380 | .08-05 | keh |
| Tokina | AT-X 90/2.5 Macro | 90 | 2.5 | 144 | x | 0.4 | 0.53 | 64 | 80 | 55 | 303 | .18-08 | 420 | .18-07 | | | | | | |
| Tokina | AT-X 100/2.8 Macro | 100 | 2.8 | 160 | EF | 0.3 | 0.54 | 95 | 73 | 55 | 219 | .18-07 | 312 | .18-07 | 325 | .14-03 | keh | 340 | .14-03 | keh |
| Tokina | AT-X 300/2.8 AF PRO | 300 | 2.8 | 480 | EF | 2.4 | 2.30 | 187 | 117 | 112 | 836 | .16-05 | 1449 | .14-11 | 1302 | .14-08 | keh | | | |
| Tokina | AT-X 300/2.8 SD MF | 300 | 2.8 | 480 | x | | | | | | 309 | .15-11 | 548 | .18-03 | 721 | .17-03 | p'pro | | | |
| Tokina | AT-X 300/4 AF Pro | 300 | 4.0 | 480 | EF | | | | | | 329 | .16-04 | 431 | .14-11 | | | | | | |
| Tokina | AT-X Pro 16-28/2.8 FX | 16-28 | 2.8 | 26-45 | EF | 0.3 | 0.95 | 133 | 90 | x | 397 | .18-03 | 708 | .14-11 | 450 | .17-03 | prec'n | 695 | .12-05 | keh |
| Tokina | AT-X Pro 17-35/4 FX | 17-35 | 4.0 | 27-56 | EF | 0.3 | 0.60 | 94 | 89 | 82 | 270 | .15-01 | 356 | .15-10 | | | | | | |
| Tokina | AT-X Pro 20-35/2.8 | 20-35 | 2.8 | 32-56 | EF | 0.5 | 0.59 | 86 | 84 | 77 | 180 | .16-01 | 294 | .16-05 | 275 | .13-07 | keh | | | |
| Tokina | AT-X 24-40/2.8 | 24-40 | 2.8 | 38-64 | x | 0.4 | 0.51 | 79 | 75 | 72 | 126 | .18-04 | 163 | .18-03 | 140 | .12-02 | b&h | | | |
| Tokina | AT-X & AT-X Pro SV | 28-70 | 2.8 | 45-112 | EF | 0.7 | 0.72 | 108 | 84 | 77 | 210 | .18-03 | 315 | .16-04 | 257 | .16-09 | keh | | | |
| Tokina | AT-X Pro, Pro II | 28-70 | 2.6-2.8 | 45-112 | EF | 0.7 | 0.75 | 107 | 79 | 77 | 253 | .14-03 | 300 | .16-09 | 310 | .13-07 | keh | | | |
| Tokina | AT-X Pro AF | 28-80 | 2.8 | 45-128 | EF | 0.5 | 0.82 | 120 | 84 | 77 | 258 | .16-01 | 340 | .16-05 | 245 | .13-07 | keh | | | |
| Tokina | AT-X & AT-X Pro 828 AF | 80-200 | 2.8 | 128-320 | EF | 1.8 | 1.35 | 184 | 84 | 77 | 342 | .17-11 | 529 | .15-02 | 320 | .14-08 | ado | | | |
| Tokina | AT-X 100-300/4 AF | 100-300 | 4.0 | 160-480 | EF | 2.0 | 1.52 | 229 | 81 | 77 | 223 | .18-06 | 358 | .15-03 | 295 | .12-02 | jack's | | | |
| Tokina | AT-X 150-500/5.6 SD | 150-500 | 5.6 | 240-800 | x | 3.1 | 2.24 | 314 | 104 | 95 | 222 | .17-01 | 321 | .18-05 | | | | 450 | .15-04 | b&h |

| | | | | | | | | | | eBay | | other suppliers | | | | | | | | |
|---------------------------------------|-------------------------------|---------|---------|---------|------|------|------|------|------|-----------|-----------|-----------------|------------|-----------|------|--------|--------|------|--------|--------|
| f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | | E to E+ | M- to N | E to E+ | | M- to N | | | | | | |
| (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | | \$US date | \$US date | \$US date | site | \$US date | site | | | | | |
| Tamron SP manual and autofocus | | | | | | | | | | | | | | | | | | | | |
| Tamron | SP 14/2.8 LD Asp IF | 14 | 2.8 | 22 | EF | 0.2 | 0.66 | 89 | 87 | rg | 353 | .16-08 | 447 | .14-03 | 465 | .15-11 | jack's | 500 | .13-06 | camren |
| Tamron | SP 17/3.5 [51B] (bi filters) | 17 | 3.5 | 27 | A2 | 0.3 | 0.27 | 45 | 70 | 82* | 156 | .16-07 | 212 | .16-04 | 174 | .16-07 | ctc | 209 | .17-06 | camtec |
| Tamron | SP 17/35 [151B] | 17 | 3.5 | 27 | A2 | 0.3 | 0.27 | 48 | 71 | 82* | 182 | .16-12 | 257 | .18-03 | 204 | .16-02 | ctc | 265 | .11-11 | keh |
| Tamron | SP 35/1.8 Di VC | 35 | 1.8 | 56 | EF | 0.2 | 0.48 | 81 | 80 | 67 | 404 | .18-08 | 460 | .16-09 | | | | 528 | .18-03 | d'town |
| Tamron | SP 45/1.8 Di VC | 45 | 1.8 | 72 | EF | 0.3 | 0.54 | 91 | 80 | 67 | 329 | .16-09 | 396 | .18-04 | | | | 450 | .16-01 | ado |
| Tamron | SP 85/1.8 Di VC USD | 85 | 1.8 | 136 | EF | 0.8 | 0.70 | 91 | 85 | 67 | 598 | .18-07 | 749 | .16-05 | | | | | | |
| Tamron | SP 90/2.5 Macro [58BB] | 90 | 2.5 | 144 | A2 | 0.4 | 0.41 | 102 | 68 | 55 | 130 | .16-05 | 260 | .15-04 | 130 | .15-04 | ado | 225 | .14-08 | v.v |
| Tamron | SP 90/2.8 Di Macro 1:1 | 90 | 2.8 | 144 | EF | 0.3 | 0.40 | 97 | 71 | 55 | 171 | .18-03 | 190 | .18-04 | 240 | .16-09 | keh | 209 | .18-07 | camtec |
| Tamron | SP 90/2.8 Di VC Macro 1:1 | 90 | 2.8 | 144 | EF | 0.3 | 0.55 | 115 | 76 | 58 | 339 | .17-04 | 300 | .18-04 | 525 | .15-11 | ado | 500 | .17-03 | p'pro |
| Tamron | SP 90/2.8 Di VC USD Macro 1:1 | 90 | 2.8 | 144 | EF | 0.3 | 0.60 | 117 | 79 | 62 | 344 | .16-01 | 428 | .16-12 | 525 | .15-11 | ado | 750 | .15-11 | b&h |
| Tamron | SP 180/2.5 LD IF MF | 180 | 2.5 | 288 | A2 | 1.2 | 0.87 | 120 | 82 | 77 | 391 | .18-08 | 462 | .18-03 | | | | | | |
| Tamron | SP 180/3.5 AF Di Macro 1:1 | 180 | 3.5 | 288 | EF | 0.5 | 0.92 | 166 | 85 | 72 | 411 | .18-07 | 532 | .14-08 | 500 | .18-07 | b&h | 480 | .17-03 | p'pro |
| Tamron | SP 300/2.8 MF LD IF full set | 300 | 2.8 | 480 | A2 | 2.5 | 2.21 | 212 | 120 | 43di | 646 | .15-04 | 850 | .18-08 | 1250 | .12-01 | ado | 1550 | .12-09 | v.v |
| Tamron | SP 300/2.8 MF LD IF | 300 | 2.8 | 480 | A2 | 2.5 | 2.21 | 212 | 120 | 43di | 503 | .18-07 | 626 | .18-06 | 650 | .14-08 | ado | | | |
| Tamron | SP 300/2.8 AF LD IF | 300 | 2.8 | 480 | EF | 2.5 | 2.80 | 216 | 119 | 43di | 687 | .17-05 | 1443 | .13-02 | 995 | .14-08 | jack's | 1800 | .15-04 | b&h |
| Tamron | SP 300/5.6 (54B) | 300 | 5.6 | 480 | A2 | 1.4 | 0.65 | 170 | 65 | 58 | 114 | .18-07 | 207 | .18-03 | 145 | .14-08 | v.v | | | |
| Tamron | SP 350/5.6 Cat | 350 | 5.6 | 560 | A2 | 1.1 | 0.62 | 75 | 86 | 82 | 512 | .18-07 | 649 | .18-06 | 430 | .14-03 | keh | | | |
| Tamron | SP 400mm f/4 LD (IF) MF | 400 | 4 | 640 | A2 | 3.0 | 2.30 | 293 | 118 | 43di | 769 | .16-03 | 979 | .14-01 | | | | | | |
| Tamron | SP 15-30/2.8 Di VC USD | 15-30 | 2.8 | 24-48 | EF | 0.3 | 1.10 | 145 | 98 | x | 740 | .18-08 | 811 | .18-07 | | | | 901 | .18-03 | camtec |
| Tamron | SP 20-40/2.7-3.5 ASP IF | 20-40 | 2.7-3.5 | 32-64 | EF | 0.5 | 0.53 | 81 | 82 | 77 | 118 | .15-11 | 160 | .14-04 | 182 | .16-01 | keh | | | |
| Tamron | SP 24-48/3.5-3.8 [2] | 24-48 | 3.5-3.8 | 38-76 | A2 | 0.6 | 0.35 | 61 | 66 | 77 | 122 | .16-05 | 434 | .11-04 | | | | | | |
| Tamron | SP 24-70/2.8 Di VC USD | 24-70 | 2.8 | 38-112 | EF | 0.4 | 0.83 | 109 | 88 | 82 | 588 | .18-08 | 728 | .18-03 | 850 | .16-09 | keh | 580 | .18-07 | jack's |
| Tamron | SP 24-135/3.5-5.6 AF | 24-135 | 3.5-5.6 | 38-216 | EF | 0.4 | 0.53 | 79 | 81 | 72 | 141 | .14-02 | 212 | .15-03 | 175 | .15-04 | keh | | | |
| Tamron | SP 28-75/2.8 XR Di AF | 28-75 | 2.8 | 45-115 | EF | 0.3 | 0.51 | 92 | 73 | 67 | 211 | .18-08 | 319 | .18-03 | 195 | .18-07 | jack's | 260 | .18-07 | LA |
| Tamron | SP 28-105/2.8 LD ASP AF | 28-105 | 2.8 | 45-168 | EF | 0.4 | 0.85 | 105 | 87 | 82 | 179 | .15-10 | 292 | .18-03 | 328 | .16-09 | keh | 425 | .15-04 | b&h |
| Tamron | SP 28-200/3.8-5.6 XR AF | 28-200 | 2.8 | 45-320 | EF | 0.5 | 0.35 | 75 | 71 | 62 | 122 | .18-02 | 149 | .18-03 | 80 | .14-06 | keh | | | |
| Tamron | SP 35-80/2.8-3.5 MF | 35-80 | 2.8-3.5 | 56-128 | A2 | 0.3 | 0.46 | 79 | 65 | 62 | 44 | .16-05 | 123 | .16-05 | 70 | .16-01 | b&h | | | |
| Tamron | SP 70-150/2.8 Soft [51A] | 70-150 | 2.8 | 112-240 | A2 | 1.0 | 0.76 | 147 | 67.5 | 62 | 493 | .16-05 | 955 | .18-08 | | | | | | |
| Tamron | SP 70-200/2.8 Di [A001] | 70-200 | 2.8 | 112-320 | EF | 1.0 | 1.15 | 194 | 90 | 77 | 392 | .17-11 | 537 | .18-03 | 540 | .16-01 | ado | 710 | .13-02 | ado |
| Tamron | SP 70-200/2.8 Di VC [A009] | 70-200 | 2.8 | 112-320 | EF | 1.3 | 1.47 | 197 | 86 | 77 | 838 | .18-04 | 870 | .18-03 | 1035 | .16-09 | keh | 1220 | .16-01 | keh |
| Tamron | SP 70-300/4-5.6 VC | 70-300 | 4-5.6 | 112-480 | EF | 1.4 | 0.77 | 143 | 82 | 62 | 222 | .18-08 | 284 | .16-05 | 270 | .16-01 | keh | 228 | .15-11 | camtec |
| Tamron | SP 80-200/2.8 LD pp | 80-200 | 2.8 | 128-320 | A2 | 1.5 | 1.22 | 178 | 82 | 77 | 197 | .16-05 | 351 | .14-08 | 395 | .12-01 | v.v | 430 | .12-01 | keh |
| Tamron | 100-400/4.5-6.3 Di VC USD | 100-400 | 4.5-6.3 | 160-640 | EF | 1.5 | 1.14 | 199 | 86 | 67 | 0 | | 0 | | | | | | | |
| Tamron | SP 150-600/5-6.3 VC | 150-600 | 5-6.3 | 240-960 | EF | 2.7 | 1.95 | 258 | 106 | 95 | 594 | .18-08 | 711 | .18-08 | 646 | .18-07 | camtec | 908 | .18-07 | d'town |
| Tamron | LD 200-400/5.6 IF | 200-400 | 5.6 | 320-640 | EF | 2.5 | 1.26 | 178 | 85 | 77 | 160 | .18-08 | 287 | .14-10 | 210 | .16-09 | keh | 350 | .09-08 | v.v |
| Tamron | SP 200-500/5.6 LD IF [31A] | 200-500 | 5.6 | 320-800 | A2 | 2.5 | 2.74 | 361 | 105 | 95 | 401 | .16-12 | 465 | .17-05 | 175 | .16-01 | keh | | | |
| Tamron | SP 200-500/5.6-6.3 LD IF | 200-500 | 5.6-6.3 | 320-800 | EF | 2.5 | 1.24 | 227 | 94 | 86 | 367 | .16-08 | 682 | .16-08 | 400 | .18-03 | b&h | 730 | .15-04 | LA |

* hood accepts filter

(Zeiss Jena lenses on M42 page)

| | | | | | | | | | | eBay | | other suppliers | | | | |
|---|--------------------------------|---------|-----|-----|------|------|------|------|-----|-----------|-----------|-----------------|-------------|-----------|------|---------------------------|
| f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | | E to E+ | M- to N | E to E+ | | M- to N | | |
| (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | | \$US date | \$US date | \$US date | site | \$US date | site | |
| Carl Zeiss Otus manual focus for Canon EOS | | | | | | | | | | | | | | | | |
| Carl Zeiss | Otus 28/1.4 ZE | 28 | 1.4 | 45 | ZE | 0.3 | 1.39 | 137 | 109 | 95 | 2850 | .16-05 | 3885 | .18-07 | | |
| Carl Zeiss | Otus Apo Dist'gn T* 55/1.4 ZE | 55 | 1.4 | 88 | ZE | 0.5 | 1.03 | 127 | 92 | 77 | 2306 | .18-06 | 2572 | .18-09 | 2690 | .18-07 LA |
| Carl Zeiss | Otus Apo Planar T* 85/1.4 ZE | 85 | 1.4 | 136 | ZE | 0.8 | 1.20 | 124 | 101 | 86 | 2428 | .18-07 | 3541 | .18-08 | 3280 | .18-07 LA |
| Carl Zeiss Milvus manual focus for Canon EOS | | | | | | | | | | | | | | | | |
| Carl Zeiss | Milvus T* 15/2.8 ZE | 15 | 2.8 | 24 | ZE | 0.3 | 0.95 | 100 | 102 | 95 | 0 | | 2269 | .17-05 | 1904 | .17-11 b&h |
| Carl Zeiss | Milvus T* 18/2.8 ZE | 18 | 2.8 | 29 | ZE | 0.3 | 0.72 | 93 | 90 | 77 | 0 | | 0 | | | 1900 .18-07 d'town |
| Carl Zeiss | Milvus T* 21/2.8 ZE | 21 | 2.8 | 34 | ZE | 0.2 | 0.85 | 95 | 96 | 82 | 1050 | .17-05 | 1376 | .16-08 | 1275 | .18-07 b&h |
| Carl Zeiss | Milvus 25/1.4 ZE | 25 | 1.4 | 40 | ZE | 0.3 | 1.23 | 123 | 95 | 82 | 0 | | 0 | | | |
| Carl Zeiss | Milvus T* 35/1.4 ZE | 35 | 1.4 | 56 | ZE | | | | | | 0 | | 1799 | .18-06 | 1660 | .18-07 ado |
| Carl Zeiss | Milvus T* 35/2 ZE | 35 | 2 | 56 | ZE | 0.3 | 0.70 | 83 | 77 | 58 | 608 | .18-07 | 1132 | .16-08 | 994 | .16-08 ado |
| Carl Zeiss | Milvus T* 50/1.4 ZE | 50 | 1.4 | 80 | ZE | 0.5 | 0.92 | 98 | 83 | 67 | 740 | .18-06 | 850 | .18-09 | 950 | .16-08 ado |
| Carl Zeiss | Milvus 50/2 M ZE [1:2] | 50 | 2 | 80 | ZE | 0.2 | 0.73 | 75 | 81 | 67 | 696 | .18-08 | 1288 | .16-04 | | 870 .18-07 camtec |
| Carl Zeiss | Milvus 85/1.4 ZE | 85 | 1.4 | 136 | ZE | 0.8 | 1.28 | 113 | 90 | 77 | 0 | | 1440 | .18-07 | 1640 | .16-08 ado |
| Carl Zeiss | Milvus 100/2 M ZE [1:2] | 100 | 2 | 160 | ZE | 0.4 | 0.84 | 104 | 81 | 67 | 0 | | 1399 | .18-07 | 1350 | .18-07 LA |
| Carl Zeiss | Milvus 135/2 M ZE | 135 | 2 | 216 | ZE | 0.8 | 1.12 | 115 | 90 | 77 | 0 | | 1729 | .18-07 | | 1810 .18-07 ado |
| Carl Zeiss ZE manual focus for Canon EOS | | | | | | | | | | | | | | | | |
| Carl Zeiss | Distagon T* 15/2.8 ZE | 15 | 2.8 | 24 | ZE | 0.3 | 0.82 | 116 | 103 | 95 | 1240 | .18-06 | 1284 | .18-05 | 1360 | .18-07 keh |
| Carl Zeiss | Distagon T* 18/3.5 ZE | 18 | 3.5 | 29 | ZE | 0.3 | 0.51 | 61 | 87 | 82 | 618 | .18-07 | 830 | .18-07 | 1000 | .18-07 b&h |
| Carl Zeiss | Distagon T* 21/2.8 ZE | 21 | 2.8 | 34 | ZE | 0.2 | 0.72 | 87 | 87 | 82 | 761 | .18-07 | 1098 | .17-05 | 820 | .18-07 LA |
| Carl Zeiss | Distagon T* 25/2 ZE | 25 | 2 | 40 | ZE | 0.3 | 0.60 | 74 | 73 | 67 | 700 | .18-07 | 1130 | .16-05 | 710 | .18-07 ado |
| Carl Zeiss | Distagon T* 28/2 ZE | 28 | 2 | 45 | ZE | 0.2 | 0.58 | 72 | 64 | 58 | 586 | .18-07 | 894 | .17-04 | 630 | .18-07 ado |
| Carl Zeiss | Distagon T* 35/1.4 ZE | 35 | 1.4 | 56 | ZE | 0.3 | 0.85 | 98 | 78 | 72 | 565 | .18-06 | 923 | .18-08 | 980 | .18-07 LA |
| Carl Zeiss | Distagon T* 35/2 ZE | 35 | 2 | 56 | ZE | 0.3 | 0.57 | 75 | 73 | 58 | 460 | .18-07 | 672 | .18-07 | 650 | .18-07 keh |
| Carl Zeiss | Planar T* 50/1.4 ZE | 50 | 1.4 | 80 | ZE | 0.5 | 0.38 | 48 | 71 | 58 | 329 | .18-08 | 487 | .18-07 | 432 | .18-07 keh |
| Carl Zeiss | Makro-Planar T* 50/2 ZE [1:2] | 50 | 2 | 80 | ZE | 0.2 | 0.57 | 67 | 75 | 67 | 424 | .18-07 | 549 | .18-06 | 700 | .18-07 b&h |
| Carl Zeiss | Planar T* 85/1.4 ZE | 85 | 1.4 | 136 | ZE | 1.0 | 0.67 | 65 | 78 | 72 | 527 | .18-07 | 724 | .17-05 | 690 | .18-07 ado |
| Carl Zeiss | Makro-Planar T* 100/2 ZE [1:2] | 100 | 2 | 160 | ZE | 0.4 | 0.68 | 91 | 76 | 67 | 723 | .18-07 | 1030 | .17-05 | 980 | .18-07 LA |
| Carl Zeiss | Apo Sonnar T* 135/2 ZE | 135 | 2 | 216 | ZE | 0.8 | 0.93 | 108 | 84 | 77 | 668 | .18-07 | 1181 | .18-06 | 1096 | .18-07 b&h |
| Carl Zeiss Contax manual focus, Contax/Yashica mount (CY, C/Y) | | | | | | | | | | | | | | | | |
| Carl Zeiss | Distagon T* 15/3.5 CY [x] | 15 | 3.5 | 24 | CY | 0.2 | 0.88 | 94 | 84 | bi | 1555 | .18-07 | 2626 | .13-08 | 1742 | .16-05 keh |
| Carl Zeiss | F-Distagon 16/2.8 CY | 16 | 2.8 | 26 | CY | 0.3 | 0.46 | 62 | 70 | bi | 660 | .18-03 | 1251 | .15-12 | 1300 | .16-05 keh |
| Carl Zeiss | Distagon T* 18/4 CY [x] | 18 | 4 | 29 | CY | 0.3 | 0.35 | 52 | 70 | co | 462 | .18-07 | 592 | .18-07 | 595 | .17-03 camW |
| Carl Zeiss | Distagon T* 21/2.8 CY | 21 | 2.8 | 34 | CY | 0.2 | 0.53 | 91 | 85 | 82 | 1383 | .18-06 | 1549 | .18-08 | 1953 | .16-12 keh |
| Carl Zeiss | Distagon T* 25/2.8 CY | 25 | 2.8 | 40 | CY | 0.3 | 0.36 | 56 | 63 | 55 | 289 | .18-08 | 430 | .18-08 | 300 | .18-08 ap'ture |
| Carl Zeiss | Distagon T* 28/2 CY | 28 | 2 | 45 | CY | 0.2 | 0.53 | 76 | 63 | 55 | 727 | .18-08 | 1358 | .18-06 | 850 | .16-05 keh |
| Carl Zeiss | Distagon T* 28/2.8 CY | 28 | 2.8 | 45 | CY | 0.3 | 0.28 | 50 | 63 | 55 | 261 | .18-08 | 313 | .18-08 | 300 | .18-07 ado |

(Zeiss Jena lenses on M42 page)

| | | | | | | | | | | | eBay | | | | other suppliers | | | | | |
|------------|----------------------------------|---------|---------|---------|------|------|------|------|------|------|---------|--------|---------|--------|-----------------|--------|---------|-------|--------|---------|
| | | | | | | | | | | | E to E+ | | M- to N | | E to E+ | | M- to N | | | |
| f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | | | | | | | | | | | | |
| (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | \$US | date | \$US | date | \$US | date | site | \$US | date | site | | |
| Carl Zeiss | Distagon T* 35/1.4 CY | 35 | 1.4 | 56 | CY | 0.3 | 0.60 | 76 | 70 | 67 | 875 | .18-08 | 1207 | .18-07 | 1480 | .16-12 | keh | 1275 | .18-08 | ap'ture |
| Carl Zeiss | Distagon T* 35/2.8 CY | 35 | 2.8 | 56 | CY | 0.4 | 0.24 | 46 | 63 | 55 | 218 | .18-08 | 303 | .18-08 | 250 | .18-03 | b&h | 450 | .16-01 | keh |
| Carl Zeiss | PC-Distagon T* 35/2.8 CY | 35 | 2.8 | 56 | CY | 0.3 | 0.74 | 86 | 70 | 70co | 980 | .18-03 | 1275 | .18-08 | 1139 | .16-12 | ctc | 1100 | .18-08 | ap'ture |
| Carl Zeiss | Tessar T* 45/2.8 CY | 45 | 2.8 | 72 | CY | 0.6 | 0.09 | 18 | 58 | 49 | 169 | .18-07 | 216 | .18-08 | 250 | .18-07 | b&h | 210 | .18-08 | ap'ture |
| Carl Zeiss | Planar T* 50/1.4 CY | 50 | 1.4 | 80 | CY | 0.5 | 0.29 | 41 | 63 | 55 | 251 | .18-08 | 379 | .18-08 | 189 | .18-03 | ctc | 525 | .16-08 | kevin |
| Carl Zeiss | Planar T* 50/1.7 CY | 50 | 1.7 | 80 | CY | 0.6 | 0.19 | 36 | 59 | 55 | 144 | .18-08 | 200 | .18-08 | 160 | .18-07 | b&h | 248 | .16-08 | keh |
| Carl Zeiss | Planar T* 55/1.2 100 Jahre CY | 55 | 1.2 | 88 | CY | 0.2 | 0.50 | 60 | 80 | 77 | 3951 | .16-03 | 6088 | .16-03 | 6902 | .14-08 | keh | 8500 | .16-08 | kevin |
| Carl Zeiss | S-Planar T* 60/2.8 CY [1:1] | 60 | 2.8 | 96 | CY | 0.2 | 0.35 | 60 | 63 | 55 | 450 | .15-08 | 0 | | | | | | | |
| Carl Zeiss | "S-Planar 1:2.8 f=60mm" CY [1:1] | 60 | 2.8 | 96 | CY | 0.2 | 0.57 | 74 | 76 | 67 | 380 | .18-07 | 473 | .18-08 | 572 | .16-12 | keh | 822 | .16-05 | keh |
| Carl Zeiss | "Makro-Planar 1:2.8 f=60mm" CY | 60 | 2.8 | 96 | CY | 0.2 | 0.57 | 74 | 76 | 67 | 427 | .18-07 | 590 | .16-03 | 550 | .18-07 | b&h | 650 | .17-07 | b&h |
| Carl Zeiss | "Makro-Planar 2.8/60 C" CY [1:2] | 60 | 2.8 | 96 | CY | 0.3 | 0.27 | 52 | 65 | 55 | 398 | .18-05 | 577 | .16-03 | 490 | .16-05 | keh | 700 | .12-12 | b&h |
| Carl Zeiss | Planar T* 85/1.2 CY | 85 | 1.2 | 136 | CY | 1.0 | 0.87 | 73 | 80 | 77 | 2195 | .18-07 | 0 | | 3000 | .18-07 | b&h | 5000 | .16-08 | kevin |
| Carl Zeiss | Planar T* 85/1.4 CY | 85 | 1.4 | 136 | CY | 1.0 | 0.60 | 64 | 70 | 67 | 463 | .18-07 | 618 | .18-08 | 600 | .18-03 | b&h | 595 | .17-03 | camW |
| Carl Zeiss | Sonnar T* 85/2.8 CY | 85 | 2.8 | 136 | CY | 1.0 | 0.23 | 47 | 61 | 55 | 247 | .18-08 | 371 | .18-08 | 195 | .15-03 | igor | 400 | .15-11 | b&h |
| Carl Zeiss | Planar T* 100/2 CY | 100 | 2 | 160 | CY | 1.0 | 0.67 | 84 | 70 | 67 | 706 | .18-08 | 905 | .18-08 | 820 | .18-07 | ado | 1000 | .16-12 | keh |
| Carl Zeiss | Makro-Planar T* 100/2.8 CY [1:1] | 100 | 2.8 | 160 | CY | 0.5 | 0.74 | 87 | 76 | 67 | 495 | .18-08 | 859 | .18-04 | 607 | .18-03 | ctc | | | |
| Carl Zeiss | Sonnar T* 100/3.5 CY | 100 | 3.5 | 160 | CY | 1.0 | 0.29 | 61 | 63 | 55 | 264 | .18-07 | 417 | .18-06 | 425 | .16-08 | kevin | 525 | .16-08 | kevin |
| Carl Zeiss | S-Planar 100/4 CY (bellows) | 100 | 4 | 160 | CY | x | 0.28 | 49 | 63 | 55 | 0 | | 488 | .18-05 | | | | 2000 | .16-08 | kevin |
| Carl Zeiss | Planar T* 135/2 CY | 135 | 2 | 216 | CY | 1.5 | 0.79 | 101 | 75 | 72 | 791 | .18-06 | 1264 | zz | 874 | .18-01 | d'town | 2100 | .16-08 | kevin |
| Carl Zeiss | Sonnar T* 135/2.8 CY | 135 | 2.8 | 216 | CY | 1.6 | 0.59 | 93 | 69 | 55 | 186 | .18-08 | 246 | .18-08 | 220 | .18-08 | ap'ture | 325 | .16-01 | camW |
| Carl Zeiss | Sonnar T* 180/2.8 CY | 180 | 2.8 | 288 | CY | 1.4 | 0.99 | 131 | 82 | 72 | 290 | .18-07 | 379 | .18-07 | 400 | .18-07 | b&h | na | .18-07 | igor |
| Carl Zeiss | Aposonnar T* 200/2 CY | 200 | 2 | 320 | CY | 1.8 | 2.60 | 182 | 123 | 111 | 0 | | 3430 | .18-08 | 4999 | .14-08 | keh | 4995 | .15-02 | camW |
| Carl Zeiss | Tele-Tessar T* 200/3.5 CY | 200 | 3.5 | 320 | CY | 1.8 | 0.78 | 122 | 78 | 67 | 147 | .18-07 | 268 | .17-01 | 250 | .18-07 | b&h | 270 | .18-08 | ap'ture |
| Carl Zeiss | Tele-Tessar T* 200/4 CY | 200 | 4 | 320 | CY | 2.0 | 0.55 | 121 | 66 | 55 | 165 | .18-07 | 265 | .18-06 | 174 | .15-04 | ctc | 450 | .12-09 | v.v |
| Carl Zeiss | Tele-Apotessar T* 300/2.8 CY | 300 | 2.8 | 480 | CY | 3.5 | 2.73 | 244 | 120 | 111 | 5111 | .17-01 | 400/. | .15-11 | | | | 14000 | .16-08 | kevin |
| Carl Zeiss | Tele-Tessar T* 300/4 MM CY | 300 | 4 | 480 | CY | 3.5 | 1.20 | 205 | 88 | 82 | 263 | zz | 410 | .18-06 | 500 | .18-07 | b&h | 350 | .16-12 | camW |
| Carl Zeiss | Tele-Apotessar T* 500/5.6 CY | 500 | 5.6 | 800 | CY | 4.9 | 1.87 | 290 | 112 | c.o. | 0 | | 0 | | | | | | | |
| Carl Zeiss | Tele-Apotessar T* 800/8 CY | 800 | 8 | 1280 | CY | 4.0 | 3.25 | 505 | 129 | c.o. | 0 | | 0 | | | | | | | |
| Carl Zeiss | vSonnar T* 28-70/3.3-4 CY | 28-70 | 3.5-4.5 | 45-112 | CY | 0.5 | 0.32 | 68 | 70 | 67 | 224 | .18-08 | 297 | zz | 250 | .18-07 | b&h | 300 | .16-01 | b&h |
| Carl Zeiss | vSonnar T* 28-85/3.3-4 CY | 28-85 | 3.3-4 | 45-136 | CY | 0.6 | 0.74 | 99 | 86 | 82 | 286 | .18-08 | 415 | .18-06 | 350 | .17-05 | kenmore | 650 | .14-08 | b&h |
| Carl Zeiss | vSonnar T* 35-70/3.4 CY | 35-70 | 3.4 | 56-112 | CY | 0.3 | 0.48 | 81 | 70 | 67 | 343 | .18-08 | 464 | .18-08 | 400 | .18-07 | b&h | 665 | .13-04 | keh |
| Carl Zeiss | vSonnar T* 35-135/3.3-4.5 CY | 35-135 | 3.3-4 | 56-215 | CY | 0.3 | 0.74 | 107 | 85 | 82 | 652 | .18-08 | 856 | .18-06 | 695 | .17-03 | camW | 1150 | .16-08 | kevin |
| Carl Zeiss | vSonnar T* 40-80/3.5 CY | 40-80 | 3.5 | 64-128 | CY | 1.2 | 0.66 | 87 | 67 | 55 | 196 | .18-06 | 224 | .18-07 | 290 | .14-08 | keh | 400 | .13-04 | kevin |
| Carl Zeiss | vSonnar T* 70-210mm f/3.5 CY | 70-210 | 3.5 | 112-336 | CY | 1.8 | 1.15 | 186 | 77 | 67 | 700 | .18-06 | 880 | .18-05 | 695 | .17-03 | camW | 1500 | .14-08 | b&h |
| Carl Zeiss | vSonnar T* 80-200mm f/4 CY | 80-200 | 4 | 128-320 | CY | 1.0 | 0.68 | 161 | 67 | 55 | 189 | zz | 253 | .18-07 | 280 | .17-07 | b&h | 400 | .15-01 | kevin |
| Carl Zeiss | vSonnar T* 100-300/4.5-5.6 CY | 100-300 | 4.5-5.6 | 160-420 | CY | 1.5 | 0.93 | 143 | 70 | 67 | 799 | .18-07 | 971 | .18-08 | 880 | .15-11 | keh | 1270 | .12-02 | keh |

(Zeiss Jena lenses on M42 page)

| | | | | | | | | | | | eBay | | other suppliers | | | | | | | |
|--|-------------------------------|---------|---------|---------|------|------|------|------|---------|------|---------|--------|-----------------|--------|---------|--------|---------|-------------|--------|---------|
| f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | E to E+ | | M- to N | | E to E+ | | M- to N | | | | | |
| (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | \$US | date | \$US | date | \$US | date | site | \$US | date | site | | |
| Carl Zeiss Contax N autofocus | | | | | | | | | | | | | | | | | | | | |
| Carl Zeiss | Planar T* 50/1.4 N | 50 | 1.4 | 80 | N | 0.5 | 0.31 | 55 | 80 | 67 | 493 | .18-08 | 711 | .18-05 | 528 | .17-10 | d'town | 620 | .15-11 | keh |
| Carl Zeiss | Planar T* 85/1.4 N | 85 | 1.4 | 136 | N | 0.8 | 0.80 | 80 | 90 | 82 | 1105 | .18-07 | 1403 | .16-10 | 1080 | .15-11 | keh | 1395 | .16-12 | camW |
| Carl Zeiss | Makro-Sonnar T* 100/2.8 | 100 | 2.8 | 160 | N | 0.3 | 0.96 | 130 | 86 | 72 | 538 | .16-04 | 713 | .16-04 | 500 | .15-11 | keh | 800 | .13-02 | b&h |
| Carl Zeiss | Tele-Apottessar T* 400/4 N | 400 | 4 | 640 | N | 2.9 | 3.58 | 290 | 120 | d.i. | 2750 | .15-04 | 3684 | .12-10 | | | | | | |
| Carl Zeiss | vSonnar T* 17-35/2.8 N | 17-35 | 2.8 | 27-56 | N | 0.5 | 0.90 | 96 | 102 | 95 | 1044 | .18-08 | 1433 | .18-06 | 1295 | .15-11 | keh | | | |
| Carl Zeiss | vSonnar T* 24-85/3.5-4.5 N | 24-85 | 3.5-4.5 | 38-136 | N | 0.5 | 0.57 | 71 | 90 | 82 | 246 | .18-07 | 291 | .18-08 | 400 | .17-05 | kenmore | 395 | .17-03 | camW |
| Carl Zeiss | vSonnar T* 70-300/4-5.6 N | 70-300 | 4-5.6 | 112-420 | N | 1.5 | 1.07 | 129 | 88 | 72 | 313 | .18-08 | 367 | zz | 350 | .17-07 | b&h | 450 | .17-07 | b&h |
| Voigtlander 35mm manual focus | | | | | | | | | | | | | | | | | | | | |
| Voigtlander | 20/3.5 Color Skopar Asp SL II | 20 | 3.5 | 32 | x | 0.2 | 0.20 | 29 | 63 | 52 | 321 | .18-07 | 429 | .18-08 | 420 | .16-09 | keh | 450 | .18-03 | b&h |
| Voigtlander | 28/2.8 Color Skopar Asp SL II | 28 | 2.8 | 45 | x | 0.2 | 0.23 | 27 | 64 | 52 | 246 | .16-10 | 395 | .18-01 | | | | 480 | .16-04 | c'quest |
| Voigtlander | 40/2 Ultron Asp SL II | 40 | 2 | 64 | x | 0.4 | 0.20 | 25 | 63 | 52 | 314 | .18-08 | 381 | .18-08 | 260 | .11-01 | b&h | 380 | .17-05 | keh |
| Voigtlander | 58/1.4 Nokton SL-II | 58 | 1.4 | 93 | x | 0.5 | 0.32 | 48 | 64 | 58 | 353 | .18-08 | 426 | .18-08 | | | | 527 | .18-07 | b&h |
| Voigtlander | 75/2.5 Color Heliar SL | 75 | 2.5 | 120 | x | 0.7 | 0.25 | 40 | 64 | 49 | 380 | .18-08 | 442 | .18-08 | | | | | | |
| Voigtlander | 90/3.5 Apo-Lanthar CF SL | 90 | 3.5 | 144 | x | 0.5 | 0.39 | 58 | 64 | 49 | 353 | .18-08 | 493 | .18-08 | 380 | .17-10 | ctc | | | |
| Voigtlander | 125/2.5 Apo-Lanthar Macro SL | 125 | 2.5 | 200 | x | 0.4 | 0.69 | 88 | 76 | 58 | 1413 | .17-03 | 2021 | .18-06 | 1671 | .18-07 | ctc | | | |
| Voigtlander | 180/4 Apo-Lanthar CF SL | 180 | 4 | 288 | x | 1.2 | 0.49 | 79 | 66 | 49 | 1155 | .18-06 | 1598 | .18-08 | 1215 | .17-10 | ctc | | | |
| Schneider-Kreuznach 35mm manual focus | | | | | | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | | | | | | |
| Schneider | PC Super-Angulon 28/2.8 shift | 28 | 2.8 | 45 | x | 0.3 | 0.57 | 87 | 75 | 67 | 820 | .17-05 | 1168 | .17-10 | 1300 | .15-04 | ado | 1625 | .15-04 | igor |
| Schneider | PA-Curtagon 35/4 Shift | 35 | 4 | 56 | x | 0.3 | 0.31 | 51 | 70 | 49 | 321 | .17-05 | 533 | .17-05 | 345 | .18-07 | igor | 495 | .16-12 | camW |
| Schneider | PC TS Super-Angulon 50/2.8 | 50 | 2.8 | 80 | EFx | 0.7 | 1.40 | 108 | 129 | | 1603 | .14-08 | 2401 | .14-03 | | | | 3365 | .13-08 | b&h |
| Schneider | PC TS Makro-Symmar 90/4.5 | 90 | 4.5 | 144 | EFx | 0.6 | 1.11 | 139 | 108 | | 1490 | .18-04 | 2095 | .18-02 | | | | 1995 | .18-01 | igor |
| etc. | | | | | | | | | | | | | | | | | | | | |
| Angenieux | 180/2.3 APO | 180 | 2.3 | 288 | x | 1.8 | 1.00 | | | 82 | 2763 | .16-05 | 0 | | | | | | | |
| Coastal | 60/4 APO Macro | 60 | 4 | | x | | | | | | 0 | | 0 | | | | | 4750 | .17-11 | igor |

| | | | | | | | | | | | eBay | | | | other suppliers | | | |
|-----------------------------------|----------------------------------|---------|-----|-----|------|------|------|------|---------|---------|---------|--------|---------|--------|-----------------|--------|---------|--------------------|
| f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | E to E+ | | M- to N | | E to E+ | | M- to N | | | |
| (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | \$US | date | \$US | date | \$US | date | site | \$US | date | site |
| Leica-R manual focus 3-cam | | | | | | | | | | | | | | | | | | |
| Leica | Super-Elmarit-R 15/2.8 Asp ROM | 15 | 2.8 | 24 | LR | 0.2 | 0.71 | 85 | 84 | b.i. | 4542 | .16-09 | 6664 | .18-07 | | | | |
| Leica | Super-Elmar-R 15/3,5 [x] (Zeiss) | 15 | 3.5 | 24 | LR | 0.2 | 0.91 | 93 | | b.i. | 1776 | .17-04 | 2225 | .16-03 | 2395 | .16-12 | camW | |
| Leica | Fisheye-Elmarit-R | 16 | 2.8 | 26 | LR | 0.3 | | | | | 609 | .18-08 | 917 | .18-03 | 545 | .16-09 | igor | |
| Leica | Elmarit R Super-W 19/2.8 [x] | 19 | 2.8 | 30 | LR | 0.3 | 0.59 | 71 | 61 | b.i. | 952 | .18-03 | 1622 | .18-08 | 1078 | .16-01 | L-shop | 1295 .16-09 igor |
| Leica | Super Angulon R 21mm f/4 | 21 | 4 | 34 | LR | | | | | | 632 | .18-03 | 854 | .18-03 | 625 | .16-12 | igor | 959 .16-12 keh |
| Leica | Elmarit R 24/2.8 | 24 | 2.8 | 38 | LR | 0.3 | 0.40 | | | 60 | 456 | zz | 663 | .18-08 | 600 | .16-01 | keh | 1090 .16-01 L-shop |
| Leica | Elmarit-R 28/2.8 | 28 | 2.8 | 45 | LR | 0.3 | 0.28 | 40 | 63 | S7 | 455 | .18-03 | 648 | .18-04 | 700 | .16-12 | b&h | 595 .18-01 igor |
| Leica | Elmarit-R 28/2.8 II E55 pre-ROM | 28 | 2.8 | 45 | LR | 0.3 | 0.44 | 48 | 68 | 55 | 1470 | .17-07 | 1965 | .18-07 | 1800 | .15-09 | fm | |
| Leica | PC-Super-Angulon 28/2.8 shift | 28 | 2.8 | 45 | LR | | | | | 67 | 1085 | zz | 1827 | .18-03 | 1299 | .16-12 | keh | 1625 .14-08 igor |
| Leica | Summilux-R 35/1.4 | 35 | 1.4 | 56 | LR | 0.5 | 0.69 | 76 | 75 | 67 | 933 | .11-01 | 2882 | .18-01 | 1400 | .09-12 | b&h | 2895 .17-02 igor |
| Leica | Summicron-R 35/2 3cam | 35 | 2 | 56 | LR | 0.3 | 0.43 | 54 | 66 | 55 | 731 | .18-01 | 933 | .18-03 | 895 | .16-12 | camW | |
| Leica | Summicron-R 35/2 E55 | 35 | 2 | 56 | LR | 0.3 | 0.43 | 54 | 66 | 55 | 934 | .17-05 | 1249 | .18-08 | 984 | .18-03 | d'town | 870 .17-05 camtec |
| Leica | Elmarit R-35/2.8 II h-lugs | 35 | 2.8 | 56 | LR | 0.3 | 0.41 | 40 | 63 | VII | 348 | .18-08 | 520 | .16-09 | 475 | .18-07 | igor | |
| Leica | Elmarit R-35/2.8 III E55 h-bi | 35 | 2.8 | 56 | LR | 0.3 | 0.31 | 42 | 66 | 55 | 444 | zz | 555 | zz | 595 | .16-12 | igor | 625 .15-11 igor |
| Leica | Summilux-R 50/1.4 E55 h-bi | 50 | 1.4 | 80 | LR | 0.5 | 0.49 | 51 | 70 | 60 | 894 | .18-08 | 1182 | zz | 1000 | .16-12 | b&h | na .18-07 igor |
| Leica | Summicron-R 50/2 E55 | 50 | 2 | 80 | LR | 0.5 | 0.29 | 41 | 66 | 55 | 392 | .18-08 | 554 | zz | 300 | .18-07 | b&h | 495 .18-07 igor |
| Leica | Macro-Elmarit-R 60/2.8 3-cam | 60 | 2.8 | 96 | LR | 0.3 | 0.40 | 62 | 68 | 55 | 433 | zz | 677 | .18-08 | 475 | .16-09 | igor | 595 .16-12 igor |
| Leica | Summilux-R 80/1.4 | 80 | 1.4 | 128 | LR | 0.8 | 0.70 | 69 | 75 | 67 | 1667 | .18-02 | 2135 | .18-07 | 2572 | .15-04 | keh | 1845 .14-06 igor |
| Leica | Summicron-R 90/2 E55 | 90 | 2 | 144 | LR | 0.7 | 0.52 | 61 | 69 | 55 | 580 | .18-08 | 854 | .18-03 | 700 | .17-03 | prec'n | 749 .17-05 camtec |
| Leica | Apo-Summicron-R 90/2 ASPH | 90 | 2 | 144 | LR | 0.7 | 0.52 | 59 | 70 | 60 | 1605 | .14-08 | 3528 | .18-02 | 4500 | .12-04 | bergen | 4620 .16-01 L-shop |
| Leica | Elmarit R 90/2.8 E55 | 90 | 2.8 | 144 | LR | 0.7 | 0.45 | 57 | 67 | 55 | 378 | .18-08 | 555 | .18-08 | 300 | .17-05 | kenmore | 645 .18-01 igor |
| Leica | Apo-MacroElmarit-R 100/2.8 | 100 | 2.8 | 160 | LR | 0.5 | 0.76 | 105 | 73 | 60 | 1419 | .18-08 | 1788 | .18-08 | 1300 | .18-07 | keh | 1824 .17-06 d'town |
| Leica | Macro-Elmar-R 100/4 | 100 | 4 | 160 | LR | | 0.67 | 120 | 68 | 55 | 326 | .18-03 | 501 | .18-03 | 350 | .16-12 | camW | |
| Leica | Elmarit-R 135/2.8 | 135 | 2.8 | 216 | LR | 1.5 | 0.73 | 93 | 67 | 55 | 230 | .18-08 | 365 | .18-08 | 300 | .17-05 | kenmore | 420 .16-01 igor |
| Leica | Apo-Summicron-R 180/2 | 180 | 2 | 288 | LR | 1.5 | 2.50 | 175 | 117 | 100 | 3549 | .15-06 | 6249 | .16-08 | 3200 | .10-02 | kevin | 4495 .10-11 camW |
| Leica | Apo-Elmarit-R 180/2.8 | 180 | 2.8 | 288 | LR | 2.0 | 0.97 | 132 | 76 | 67 | 2752 | .18-08 | 5250 | .18-08 | 2100 | .11-04 | 8elm | 3395 .11-01 igor |
| Leica | Elmarit-R 180/2.8 II | 180 | 2.8 | 288 | LR | 1.8 | 0.81 | 121 | 75 | VIII | 366 | .18-03 | 626 | .18-08 | 400 | .18-07 | b&h | 800 .18-07 b&h |
| Leica | Apo-Telyt-R 180/3.4 E60 | 180 | 3.4 | 288 | LR | 2.5 | 0.75 | 133 | 67 | 60 | 759 | .18-08 | 1066 | .17-05 | 700 | .17-03 | prec'n | 1095 .16-12 igor |
| Leica | Elmar-R 180/4 | 180 | 4 | 288 | LR | 1.8 | 0.55 | 100 | 66 | 55 | 270 | .18-08 | 447 | .18-08 | 400 | .17-04 | b&h | 495 .12-04 camW |
| Leica | Telyt-R 250/4 | 250 | 4 | 400 | LR | 4.0 | 0.49 | | 78 | s8 | 302 | zz | 488 | .18-03 | 400 | .17-05 | prec'n | 450 .16-01 L-shop |
| Leica | Apo-Telyt-R 280/2.8 | 280 | 2.8 | 448 | LR | 2.5 | 2.75 | 261 | 125 | 112-5,5 | 2115 | .18-02 | 3083 | .18-02 | 3050 | .13-07 | ado | 6999 .18-03 keh |
| Leica | Apo-Telyt-R 280/4 ROM | 280 | 4 | 448 | LR | 1.7 | 1.88 | 208 | 88 | 77 | 0 | | 4622 | .18-01 | 6200+ | .18-07 | ado | 3995 .10-05 camW |
| Leica | Apo-Telyt-R 400/2.8 | 400 | 2.8 | 640 | LR | 5.8 | 4.70 | 365 | 166 | 5.5 di | 0 | | 18250 | .18-08 | na | .18-07 | igor | 10000 .18-07 b&h |

| | | | | | | | | | | | eBay | | other suppliers | | | | | |
|-----------------------------------|---------------------------------|-----------|-------|---------|------|------|------|------|---------|--------|---------|--------|-----------------|--------|---------|--------|--------|-------------------|
| f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | E to E+ | | M- to N | | E to E+ | | M- to N | | | |
| (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | \$US | date | \$US | date | \$US | date | site | \$US | date | site |
| Nikon AIS/ AI manual focus | | | | | | | | | | | | | | | | | | |
| Nikon | Nikkor 6/2.8 FE [220 deg] | 6 | 2.8 | 10 | AIS | 0.3 | 5.20 | 160 | 236 | b.i. | 49990 | .15-04 | 63698 | .17-01 | | | | |
| Nikon | Nikkor 8/2.8 FE [220 deg] | 8 | 2.8 | 13 | AIS | 0.3 | 1.10 | 128 | 123 | b.i. | 1488 | .16-08 | 2408 | .16-08 | 1670 | .13-07 | keh | 3495 .13-08 camW |
| Nikon | Nikkor 13/5.6 | 13 | 5.6 | 21 | AI | 0.3 | 1.20 | 89 | 115 | rf | 15227 | .14-02 | 24995 | .12-09 | | | | |
| Nikon | Nikkor 15/3.5 | 15 | 3.5 | 24 | AIS | 0.3 | 0.63 | 84 | 90 | 94 | 648 | .17-01 | 967 | .18-03 | 950 | .16-01 | b&h | 1400 .15-04 b&h |
| Nikon | Nikkor 18/3.5 | 18 | 3.5 | 29 | AIS | 0.3 | 0.35 | 62 | 75 | 72 | 365 | .17-04 | 518 | .16-08 | 546 | .13-07 | keh | 700 .12-02 b&h |
| Nikon | Nikkor 20/2.8 | 20 | 2.8 | 32 | AIS | 0.3 | 0.26 | 43 | 69 | 62 | 277 | .18-07 | 391 | .17-10 | 440 | .14-08 | ado | 600 .14-08 keh |
| Nikon | Nikkor 20/3.5 | 20 | 3.5 | 32 | AI | 0.3 | 0.24 | 41 | 64 | 52 | 219 | .18-03 | 318 | .18-08 | 200 | .18-07 | prec'n | 275 .15-04 igor |
| Nikon | Nikkor 28/3.5 PC AI (bk knob) | 28 | 3.5 | 45 | AI | 0.3 | 0.38 | 69 | 78 | 72 | 279 | .18-06 | 409 | .18-04 | 400 | .18-07 | prec'n | 475 .15-11 igor |
| Nikon | Nikkor 28/4 PC AI | 28 | 4 | 45 | AI | 0.3 | 0.41 | | 78 | 72 | 311 | .16-09 | 568 | .12-01 | 367 | .14-08 | keh | 800 .10-05 b&h |
| Nikon | Nikkor 35/1.4 AIS | 35 | 1.4 | 56 | AIS | 0.3 | 0.41 | 62 | 68 | 52 | 332 | .18-08 | 446 | .18-08 | 475 | .16-01 | b&h | 600 .15-04 b&h |
| Nikon | Nikkor 35/2.8 PC n AI (bk knob) | 35 | 2.8 | 56 | AI | 0.3 | 0.32 | 66 | 62 | 52 | 257 | .18-08 | 382 | .18-07 | 195 | .16-09 | igor | 400 .16-01 b&h |
| Nikon | Nikkor 50/1.2 AIS | 50 | 1.2 | 80 | AIS | 0.5 | 0.41 | 50 | 72 | 52 | 319 | .18-08 | 401 | .18-07 | 460 | .16-01 | b&h | 395 .18-07 igor |
| Nikon | Noct-Nikkor 58/1.2 | 58 | 1.2 | 93 | AI | 0.5 | 0.47 | 52 | 74 | 52 | 2490 | .18-03 | 3229 | .18-07 | 3392 | .18-07 | keh | |
| Nikon | Nikkor 85/1.4 AIS | 85 | 1.4 | 136 | AIS | 0.9 | 0.62 | 65 | 81 | 72 | 431 | .18-03 | 550 | .18-07 | 600 | .16-01 | b&h | 950 .14-08 camtec |
| Nikon | Nikkor 105/1.8 AIS | 105 | 1.8 | 168 | AIS | 1.0 | 0.58 | 81 | 79 | 62 | 326 | .18-07 | 481 | .18-08 | 500 | .15-04 | b&h | 795 .11-11 camW |
| Nikon | Nikkor-P Auto 105/2.5 | 105 | 2.5 | 168 | F | 1.0 | 0.44 | 66 | 69 | 52 | 117 | .18-04 | 192 | .18-03 | 130 | .14-08 | b&h | 100 .18-03 igor |
| Nikon | Nikkor 105/2.5 | 105 | 2.5 | 168 | AI | 1.0 | 0.44 | 69 | 66 | 52 | 135 | .18-08 | 201 | .18-08 | 150 | .18-03 | b&h | 150 .15-04 igor |
| Nikon | Nikkor 135/2 AIS | 135 | 2 | 216 | AIS | 1.3 | 0.86 | 94 | 81 | 72 | 367 | .18-08 | 545 | .18-05 | 650 | .16-01 | b&h | 750 .11-10 ado |
| Nikon | Nikkor 200/2 AIS | 200 | 2 | 320 | AIS | 2.4 | 2.40 | 222 | 138 | 122 | 1337 | .16-05 | 2033 | .17-05 | 2150 | .14-03 | ado | 2500 .10-09 kevin |
| Nikon | Nikkor *ED 300/2 IF N | 300 | 2 | 480 | AIS | - | 7.10 | 331 | 183 | 52 di | 6658 | .15-04 | 0 | | | | | |
| Nikon | Nikkor *ED 300/2.8 IF N | 300 | 2.8 | 480 | AIS | 3.0 | 2.50 | 241 | 138 | 39 di | 830 | .18-08 | 1244 | .18-08 | 950 | .13-07 | b&h | 1375 .12-04 camW |
| Nikon | Nikkor *ED 400/2.8 IF MF | 400 | 2.8 | 640 | AIS | 4.6 | 5.15 | 379 | 163 | 52 di | 1724 | .18-07 | 2466 | .15-12 | 3100 | .15-04 | b&h | |
| Nikon | Nikkor *ED 400/3.5 IF MF | 400 | 3.5 | 640 | AIS | 4.6 | 2.80 | 297 | 135 | 122-39 | 1106 | .18-07 | 1335 | .18-07 | 1000 | .16-01 | b&h | |
| Nikon | Nikkor ED 500/4 P | 500 | 4 | 800 | AIS | 5.0 | 3.00 | 384 | 138 | 39 di | 1347 | .18-05 | 2267 | .16-09 | 1800 | .16-01 | b&h | 1795 .17-10 igor |
| Nikon | Nikkor *ED 600/4 IF MF | 600 | 4 | 960 | AIS | 7.6 | 5.65 | 465 | 173 | 39 di | 1807 | .18-06 | 2749 | .18-05 | 3000 | .16-01 | b&h | |
| Nikon | Nikkor *ED 600/5.6 IF MF | 600 | 5.6 | 960 | AIS | 6.1 | 2.70 | 382 | 134 | 39 di | 1087 | .18-07 | 1254 | .18-07 | 1602 | .14-08 | keh | |
| Nikon | Nikkor *ED 800/5.6 IF MF | 800 | 5.6 | 1280 | AIS | 8.0 | 5.45 | 546 | 163 | 52 di | 1908 | .18-06 | 3331 | .18-07 | 3650 | .13-04 | b&h | 4560 .12-04 keh |
| Nikon | Nikkor *ED 1200/11 IF-ED | 1200 | 11 | 1920 | AIS | 14.0 | 3.90 | 577 | 134 | 52 di | 4499 | .18-06 | 0 | | | | | |
| Nikon | Nikkor 14-24/2.8 G ED AF-S | 14-24 | 2.8 | 22-38 | AF-S | 0.3 | 1.00 | 131 | 98 | x | 1124 | .18-07 | 1370 | .18-08 | 1672 | .14-08 | keh | 1740 .13-07 keh |
| Nikon | Nikkor 200-400/4 *ED MF | 200-400 | 4 | 320-640 | AIS | 3.7 | 4.00 | 330 | 144 | 122 | 2325 | .17-03 | 3356 | .14-09 | | | | |
| Nikon | Nikkor 1200-1700/5.6-8*ED MF | 1.2k-1.7k | 5.6-8 | | AIS | 10.0 | 16.0 | 880 | 237 | 52 di | 0 | | 0 | | | | | |

| | | | | | | | | | | | eBay | | | | other suppliers | | | | | |
|--|-----------------------------|---------|-----|-----|------|------|------|------|---------|-------|---------|--------|---------|--------|-----------------|--------|-------|------|--------|-------|
| f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | E to E+ | | M- to N | | E to E+ | | M- to N | | | | | |
| (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | \$US | date | \$US | date | \$US | date | site | \$US | date | site | | |
| Olympus OM manual focus | | | | | | | | | | | | | | | | | | | | |
| Olympus | Zuiko 18/3.5 MC Auto-W | 18 | 3.5 | 29 | OM | 0.3 | 0.25 | 42 | 62 | 49>72 | 629 | .18-08 | 911 | .18-02 | 750 | .17-07 | kevin | 1300 | .14-08 | kevin |
| Olympus | Zuiko 21/2 | 21 | 2 | 34 | OM | 0.2 | 0.25 | 44 | 60 | 55 | 0 | | 718 | .17-02 | 900 | .13-10 | b&h | 1170 | .13-10 | keh |
| Olympus | Zuiko 21/3.5 | 21 | 3.5 | 34 | OM | 0.2 | 0.18 | 31 | 59 | 49 | 312 | .18-03 | 412 | .17-01 | 328 | .17-07 | b&h | 600 | .16-08 | kevin |
| Olympus | Zuiko 24/2 Auto-W (fe) | 24 | 2 | 38 | OM | 0.3 | 0.28 | 48 | 60 | 55 | 312 | .17-11 | 560 | .16-04 | 325 | .17-10 | igor | 850 | .16-08 | kevin |
| Olympus | Zuiko 24/2.8 H.Zuiko | 24 | 2.8 | 38 | OM | 0.3 | 0.18 | 31 | 59 | 49 | 126 | .18-08 | 199 | .18-08 | 135 | .18-07 | igor | 300 | .16-08 | kevin |
| Olympus | Zuiko 24/3.5 Shift | 24 | 3.5 | 38 | OM | 0.4 | 0.51 | 75 | 84 | bi | 717 | .16-04 | 1024 | .16-05 | 1850 | .16-08 | kevin | 2500 | .16-08 | kevin |
| Olympus | Zuiko 28/2 | 28 | 2 | 45 | OM | 0.3 | 0.25 | 43 | 60 | 49 | 209 | .17-04 | 300 | .18-08 | 250 | .18-07 | ado | 500 | .16-08 | kevin |
| Olympus | Zuiko 28/2.8 | 28 | 2.8 | 45 | OM | 0.3 | 0.17 | 32 | 60 | 49 | 55 | .16-05 | 117 | .18-08 | 120 | .18-03 | b&h | 140 | .16-09 | b&h |
| Olympus | Zuiko 35/2.8 Shift | 35 | 2.8 | 56 | OM | 0.3 | 0.31 | 58 | 68 | 49 | 282 | .18-03 | 365 | .16-12 | 300 | .18-07 | b&h | 395 | .17-10 | igor |
| Olympus | Zuiko 40/2 Auto-S | 40 | 2 | 64 | OM | 0.3 | 0.14 | 25 | 60 | 49 | 320 | .16-01 | 442 | .16-01 | 415 | .13-02 | keh | 450 | .12-11 | igor |
| Olympus | Zuiko 50/1.2 Auto-S | 50 | 1.2 | 80 | OM | 0.5 | 0.29 | 43 | 65 | 49 | 377 | .18-07 | 457 | .18-07 | 590 | .17-07 | ado | 800 | .17-07 | kevin |
| Olympus | Zuiko 50/1.4 Auto-S OM | 50 | 1.4 | 80 | OM | | | | | | | | | | | | | | | |
| Olympus | Zuiko 50/1.8 Auto-S | 50 | 1.8 | 80 | OM | 0.5 | 0.17 | 31 | 61 | 49 | 0 | | 149 | .16-01 | 56 | .17-07 | keh | 85 | .14-08 | b&h |
| Olympus | Zuiko 55/1.2 Auto-S | 55 | 1.2 | 80 | OM | 0.5 | 0.31 | 47 | 65 | 49 | 285 | .18-08 | 391 | .16-05 | 280 | .18-03 | ctc | 395 | .18-07 | igor |
| Olympus | Zuiko 85/2 Auto-T | 85 | 2 | 136 | OM | 0.9 | 0.26 | 48 | 60 | 49 | 214 | .18-08 | 349 | .18-07 | 367 | .15-04 | keh | 245 | .14-03 | igor |
| Olympus | Zuiko 90/2 MC Macro | 90 | 2 | 144 | OM | 0.4 | 0.55 | 71 | 72 | 55 | 672 | .18-07 | 988 | .16-08 | 880 | .17-07 | keh | | | |
| Olympus | Zuiko 100/2 Auto-T (ED) | 100 | 2 | 160 | OM | 0.7 | 0.52 | 72 | 70 | 55 | 613 | .18-08 | 886 | .18-08 | 676 | .16-03 | ctc | | | |
| Olympus | E.Zuiko 135/3.5 OM | 135 | 3.5 | 216 | OM | 1.5 | 0.29 | 73 | 61 | 49 | 38 | .18-04 | 62 | .18-04 | 80 | .16-09 | b&h | | | |
| Olympus | Zuiko 135/4.5 MC Macro | 135 | 4.5 | 216 | OM | x | 0.32 | 47 | 60 | 55 | 167 | .18-03 | 297 | .18-07 | 150 | .17-07 | keh | 375 | .17-07 | kevin |
| Olympus | Zuiko 180/2 Auto-T | 180 | 2 | 288 | OM | 1.6 | 1.90 | 173 | 107 | 100 | 2874 | .16-05 | 6672 | .14-08 | 2300 | .13-04 | kevin | | | |
| Olympus | Zuiko 200/4 Auto-T | 200 | 4 | 288 | OM | 2.5 | 0.51 | 127 | 67 | 55 | 98 | .18-04 | 160 | .18-04 | 100 | .16-09 | b&h | | | |
| Olympus | Zuiko 250/2 Auto-T | 250 | 2 | 400 | OM | 2.2 | 3.90 | 246 | 142 | 46di | 2900 | .16-04 | 7350 | .18-08 | | | | 4500 | .13-04 | kevin |
| Olympus | Zuiko 350/2.8 Auto-T | 350 | 2.8 | 560 | OM | 3.0 | 3.90 | 280 | 142 | 46di | 1950 | .17-09 | 2883 | .17-09 | 2000 | .16-01 | b&h | 4200 | .16-08 | kevin |
| Pentax SMC K-mount manual focus | | | | | | | | | | | | | | | | | | | | |
| Pentax | SMC Pentax "1:3.5/15mm" Asp | 15 | 3.5 | 24 | K | 0.3 | 0.55 | 82 | 80 | bi | 645 | .18-04 | 926 | .16-03 | 800 | .16-01 | b&h | | | |
| Pentax | SMC Pentax 15/3.5 | 15 | 3.5 | 24 | K | 0.3 | 0.60 | 82 | 80 | 1 | 0 | | 775 | .16-01 | 425 | .16-12 | igor | 1000 | .14-08 | b&h |
| Pentax | SMC Pentax-A 15/3.5 | 15 | 3.5 | 24 | KA | 0.3 | 0.60 | 82 | 80 | bi | 663 | .18-07 | 1087 | .11-10 | 962 | .14-08 | keh | 1000 | .10-05 | b&h |
| Pentax | SMC Pentax-A 16/2.8 FE | 16 | 2.8 | 26 | KA | 0.2 | 0.32 | 56 | 65 | bi | 358 | .16-01 | 594 | .15-04 | 560 | .15-04 | ado | | | |
| Pentax | SMC Pentax 17/4 FE | 17 | 4 | 27 | K | 0.2 | 0.24 | 34 | 65 | bi | 266 | .17-05 | 331 | .18-04 | 475 | .16-08 | kevin | 700 | .16-08 | kevin |
| Pentax | SMC Pentax 18/3.5 | 18 | 3.5 | 29 | K | 0.3 | 0.30 | 62 | 63 | 58 | 451 | .16-05 | 759 | .15-12 | 900 | .16-08 | kevin | 1100 | .16-08 | kevin |
| Pentax | SMC Pentax-A 20/2.8 | 20 | 2.8 | 32 | KA | 0.3 | 0.25 | 44 | 70 | 67 | 404 | .18-07 | 538 | .18-06 | 450 | .18-03 | b&h | 648 | .15-04 | keh |
| Pentax | SMC Pentax 20/4 | 20 | 4 | 32 | K | 0.3 | 0.30 | 57 | 63 | 58 | 335 | .18-07 | 495 | .18-07 | 300 | .18-03 | b&h | 600 | .17-07 | kevin |
| Pentax | SMC Pentax-M 20/4 | 20 | 4 | 32 | K | 0.3 | 0.15 | 30 | 63 | 49 | 280 | .18-06 | 338 | .18-03 | 395 | .14-03 | kevin | 600 | .16-08 | kevin |
| Pentax | SMC Pentax 24/2.8 | 24 | 2.8 | 38 | K | 0.3 | 0.20 | 42 | 63 | 52 | 0 | | 0 | | | | | | | |
| Pentax | SMC Pentax 24/3.5 | 24 | 3.5 | 38 | K | 0.3 | 0.25 | 46 | 63 | 58 | 0 | | 193 | .18-03 | 190 | .03-12 | keh | 675 | .17-07 | kevin |

| | | | | | | | | | | | eBay | | | | other suppliers | | | | | |
|--------|----------------------------------|------|-----|---------|-----|------|-------|------|------|--------|---------|--------|---------|--------|-----------------|--------|--------|---------|--------|-------|
| | | f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | E to E+ | | M- to N | | E to E+ | | | M- to N | | |
| | | (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | \$US | date | \$US | date | \$US | date | site | \$US | date | site |
| Pentax | SMC Pentax 28/2 | 28 | 2 | 45 | K | 0.3 | 0.42 | 69 | 63 | 52 | 550 | .16-01 | 899 | .18-03 | 429 | .14-03 | keh | | | |
| Pentax | SMC Pentax-M 28/2 | 28 | 2 | 45 | K | 0.3 | 0.215 | 42 | 63 | 49 | 318 | .15-11 | 330 | .17-10 | 300 | .17-07 | kevin | | | |
| Pentax | SMC Pentax 28/3.5 Shift | 28 | 3.5 | 45 | K | 0.3 | 0.611 | 93 | 80 | b.i. | 408 | .17-04 | 565 | .16-01 | 700 | .18-07 | b&h | 835 | .16-05 | b&h |
| Pentax | SMC Pentax 28/3.5 | 28 | 3.5 | 45 | K | 0.3 | 0.26 | 47 | 63 | 52 | 130 | .18-08 | 296 | .18-06 | | | | 700 | .18-07 | b&h |
| Pentax | SMC Pentax 35/3.5 | 35 | 3.5 | 56 | K | 0.4 | 0.16 | 36 | 63 | 52 | 132 | .18-04 | 153 | .16-12 | | | | | | |
| Pentax | SMC Pentax 50/1.2 | 50 | 1.2 | 80 | K | 0.5 | 0.39 | 49 | 65 | 52 | 294 | .18-07 | 394 | .18-08 | 494 | .17-10 | d'town | 750 | .17-07 | kevin |
| Pentax | SMC Pentax-A 50/1.2 | 50 | 1.2 | 80 | KA | 0.5 | 0.35 | 49 | 65 | 52 | 432 | .14-10 | 584 | .16-04 | 627 | .17-10 | d'town | | | |
| Pentax | SMC Pentax-A 50/1.4 | 50 | 1.4 | 80 | KA | 0.5 | 0.27 | 37 | 63 | 49 | 115 | .18-07 | 155 | .18-04 | 90 | .18-07 | igor | | | |
| Pentax | SMC Pentax-A 50/2.8 Macro [1:2] | 50 | 2.8 | 80 | KA | 0.2 | 0.22 | 50 | 63 | 49 | 136 | .18-08 | 186 | .17-05 | 171 | .18-07 | d'town | 250 | .17-07 | b&h |
| Pentax | SMC Pentax-FA 50/2.8 Macro [1:1] | 50 | 2.8 | 80 | KAF | 0.2 | 0.39 | 70 | 68 | 52 | 179 | .18-04 | 237 | .18-02 | 189 | .18-01 | ctc | | | |
| Pentax | SMC Pentax-A* 85mm f/1.4 | 85 | 1.4 | 136 | KA | 0.9 | 0.56 | 66 | 74 | 67 | 910 | .18-03 | 1207 | .18-01 | 1170 | .13-04 | ado | 2500 | .16-08 | kevin |
| Pentax | SMC Pentax-FA* 85mm f/1.4 | 85 | 1.4 | 136 | KAF | 0.9 | 0.55 | 79 | 70 | 67 | 822 | .18-04 | 1075 | .18-07 | 900 | .17-07 | b&h | | | |
| Pentax | SMC Pentax 85/1.8 | 85 | 1.8 | 136 | K | 0.9 | 0.33 | 56 | 64 | 52 | 354 | .16-05 | 450 | .16-08 | 224 | .16-05 | v.v | 850 | .17-07 | kevin |
| Pentax | SMC Pentax 85/2.2 Soft | 85 | 2.2 | 136 | K | 0.6 | 0.24 | 52 | 72 | 49 | 206 | .16-09 | 311 | .16-01 | 280 | .16-01 | keh | 313 | .16-01 | keh |
| Pentax | SMC Pentax-A 100/2.8 Macro | 100 | 2.8 | 160 | KA | 0.3 | 0.47 | 93 | 74 | 58 | 436 | .17-04 | 525 | .18-05 | 590 | .18-07 | ado vg | 950 | .16-08 | kevin |
| Pentax | SMC Pentax-A* 135mm f/1.8 | 135 | 1.8 | 216 | KA | 1.2 | 0.87 | 98 | 80 | 77 | 1793 | .18-07 | 2620 | .18-05 | 2570 | .13-09 | keh | | | |
| Pentax | SMC Pentax 135/2.5 | 135 | 2.5 | 216 | K | 1.5 | 0.50 | 86 | 68 | 58 | 157 | .18-07 | 263 | .15-12 | 190 | .17-02 | d'town | 550 | .18-01 | kevin |
| Pentax | SMC Pentax-M 135/3.5 | 135 | 3.5 | 216 | K | 1.5 | 0.27 | 66 | 63 | 49 | 51 | .12-02 | 122 | .16-08 | 70 | .17-07 | b&h | | | |
| Pentax | SMC Pentax 200/2.5 | 200 | 2.5 | 320 | K | 2.0 | 0.95 | 145 | 89 | 77 | 334 | .17-04 | 510 | .17-05 | 350 | .17-07 | b&h | 600 | .18-01 | kevin |
| Pentax | SMC Pentax-A* ED 200/2.8 | 200 | 2.8 | 320 | KA | 1.8 | 0.85 | 138 | 91 | 77 | 656 | .18-08 | 650 | .18-08 | | | | | | |
| Pentax | SMC Pentax-A* ED 200/4 Macro | 200 | 4 | 320 | KA | 0.6 | 0.90 | 145 | 71 | 58 | 1995 | .18-07 | 2420 | .18-06 | | | | | | |
| Pentax | SMC Pentax-FA* ED 200/4 Macro IF | 200 | 4 | 320 | KAF | 0.5 | 1.08 | 192 | 80 | 67 | 0 | | 0 | | | | | | | |
| Pentax | SMC Pentax-A* ED 300/2.8 IF | 300 | 2.8 | 480 | KA | 3.0 | 2.97 | 236 | 133 | 49 | 1296 | .16-03 | 1876 | .16-03 | 1000 | .18-07 | b&h | | | |
| Pentax | SMC Pentax-M*, -A* 300/4 | 300 | 4 | 480 | KA | 4.0 | 0.85 | 132 | 84 | 77 | 416 | .18-04 | 615 | .16-05 | 425 | .18-07 | igor | | | |
| Pentax | SMC Pentax-A* ED 400/2.8 IF | 400 | 2.8 | 640 | KA | 4.5 | 6.00 | 325 | 165 | 49 | 2301 | .15-12 | 4400 | .17-11 | 2900 | .15-04 | keh | 3900 | .09-10 | b&h |
| Pentax | SMC Pentax-M, -A 400/5.6 | 400 | 5.6 | 640 | K | 5.0 | 1.22 | 277 | 85 | 77 | 314 | .18-01 | 451 | .18-08 | 379 | .15-10 | ctc | 600 | .16-08 | kevin |
| Pentax | SMC Pentax 500/4.5 (ma) | 500 | 4.5 | 800 | K | 10.0 | 3.37 | 440 | 127 | 52 | 365 | .18-07 | 540 | .18-07 | 415 | .13-08 | keh | 800 | .16-05 | b&h |
| Pentax | SMC Pentax-FA* 600/4 | 600 | 4 | 960 | KAF | 5.0 | 6.80 | 457 | 176 | 150-43 | 4633 | .16-11 | 7650 | .15-07 | | | | | | |
| Pentax | SMC Pentax-A* 600/5.6 ED IF | 600 | 5.6 | 960 | KA | 5.5 | 3.28 | 386 | 133 | 112-49 | 1584 | .18-07 | 1980 | .18-05 | 1695 | .09-09 | camW | | | |

| | f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | eBay | | | | other suppliers | | | | | |
|---------------------------------------|-----|-----|---------|-----|-----|------|-----|-----------|----|---------|--------|------------|--------|-----------------|--------|---------|-------------|--------|--------|
| | | | | | | | | | | E to E+ | | M- to N | | E to E+ | | M- to N | | | |
| | | | | | | | | | | \$US | date | \$US | date | \$US | date | site | \$US | date | site |
| Konica Hexanon AR manual focus | | | | | | | | | | | | | | | | | | | |
| Konica | 21 | 2.8 | 34 | KAR | 0.2 | 0.22 | 39 | 62 | 55 | 479 | .18-05 | 599 | .18-05 | | | | | | |
| Konica | 24 | 2.8 | 38 | KAR | 0.3 | 0.28 | 54 | 62 | 55 | 76 | .18-07 | 176 | .18-06 | | | | | | |
| Konica | 24 | 2.8 | 38 | KAR | 0.3 | 0.21 | 36 | 62 | 55 | 112 | .18-05 | 0 | | | | | | | |
| Konica | 28 | 1.8 | 45 | KAR | 0.2 | 0.38 | 63 | 62 | 55 | 511 | .18-06 | 1200 | .18-07 | | | | | | |
| Konica | 40 | 1.8 | 64 | KAR | 0.5 | 0.14 | 27 | 62 | 55 | 43 | .18-08 | 68 | .18-08 | | | | | | |
| Konica | 50 | 1.7 | 80 | KAR | 0.5 | 0.24 | 45 | 62 | 55 | 40 | .18-07 | 0 | | | | | | | |
| Konica | 50 | 1.7 | 80 | KAR | 0.6 | 0.21 | 40 | 62 | 55 | 42 | .18-07 | 45 | .18-06 | | | | | | |
| Konica | 55 | 3.5 | 88 | KAR | 0.3 | 0.29 | 69 | 62 | 55 | 59 | .18-07 | 65 | .18-05 | | | | | | |
| Konica | 57 | 1.2 | 91 | KAR | 0.5 | 0.46 | 50 | 69 | 62 | 294 | .18-08 | 423 | .18-08 | | | | | | |
| Konica | 85 | 1.8 | 136 | KAR | 1.0 | 0.39 | 67 | 69 | 58 | 169 | .18-07 | 220 | .18-05 | | | | | | |
| Konica | 85 | 1.8 | 136 | KAR | 1.0 | 0.40 | 67 | 69 | 55 | 155 | .18-07 | 299 | .18-07 | | | | | | |
| Konica | 100 | 2.8 | 160 | KAR | 1.0 | 0.29 | 62 | 62 | 55 | 129 | .18-07 | 0 | | | | | | | |
| Konica | 135 | 2.0 | 216 | KAR | 1.2 | 0.65 | 96 | 69 | 62 | 100 | .18-06 | 0 | | | | | | | |
| Other manual focus | | | | | | | | | | | | | | | | | | | |
| Minolta | 58 | 1.2 | 93 | MD | 0.6 | 0.46 | 54 | 69 | 55 | 382 | .18-07 | 553 | .18-08 | 450 | .13-07 | b&h | | | |
| Samyang | 14 | 2.4 | 22 | EFx | 0.3 | 0.79 | 109 | 95 | x | 0 | | 600 | .18-03 | | | | 750 | .18-07 | ado |
| Samyang | 14 | 2.8 | 22 | EFx | 0.3 | 0.57 | 94 | 87 | x | 207 | .18-08 | 272 | .18-07 | 300 | .18-07 | d'town | 225 | .16-12 | camW |
| Samyang | 20 | 1.8 | 32 | EFx | 0.2 | 0.50 | 88 | 83 | 77 | 0 | | 0 | | | | | 468 | .14-08 | keh |
| Samyang | 24 | 1.4 | 38 | EFx | 0.3 | | 98 | 83 | 77 | 345 | .18-07 | 415 | .18-05 | | | | | | |
| Samyang | 24 | 3.5 | 38 | x | 0.2 | 0.68 | 113 | 45 | 82 | 506 | .16-10 | 695 | .18-03 | 663 | .18-07 | b&h | | | |
| Rokinon | 35 | 1.4 | 56 | EFx | 0.3 | 0.42 | 77 | 83 | 77 | 255 | .18-08 | 354 | .18-06 | 315 | .15-11 | ado | 350 | .16-01 | b&h |
| Rokinon | 50 | 1.2 | 80 | EFx | 0.5 | 1.20 | 117 | 93 | 86 | | | | | 680 | .18-07 | ado | 700 | .18-07 | b&h |
| Rokinon | 50 | 1.4 | 80 | EFx | 0.5 | 0.54 | 74 | 81 | 77 | 200 | .17-05 | 338 | .18-07 | 280 | .15-11 | ado | 400 | .15-03 | b&h |
| Rokinon | 85 | 1.2 | 136 | EFx | 0.8 | 1.05 | 98 | 93 | 86 | 0 | | 0 | | 680 | .18-07 | ado | 1000 | .17-01 | b&h |
| Rokinon | 85 | 1.4 | 136 | EFx | 1.0 | 0.54 | 75 | 78 | 72 | 189 | .17-05 | 226 | .17-04 | 210 | .14-08 | b&h | 285 | .16-09 | d'town |
| Samyang | 100 | 2.8 | 160 | EFx | 0.3 | 0.72 | 123 | 73 | 67 | 0 | | 399 | .16-01 | | | | 550 | .15-07 | b&h |
| Rokinon | 135 | 2 | 216 | EFx | 0.8 | 0.83 | 122 | 82 | 77 | 415 | .16-08 | 430 | .16-09 | | | | 550 | .15-07 | b&h |

| | | | | | | | | | | | eBay | | other suppliers | | | | | | | |
|---|------------------------------|---------|-----|-----|------|------|------|------|---------|------|---------|--------|-----------------|--------|---------|--------|--------|------|--------|-------|
| f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | E to E+ | | M- to N | | E to E+ | | M- to N | | | | | |
| (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | \$US | date | \$US | date | \$US | date | site | \$US | date | site | | |
| Carl Zeiss M42 | | | | | | | | | | | | | | | | | | | | |
| Carl Zeiss | Skoparex 35/3.4 | 35 | 3.4 | 56 | M42 | 0.3 | 0.23 | 35 | 63 | B50 | 204 | .18-07 | 307 | zz | 275 | .18-03 | kevin | 375 | .18-03 | kevin |
| Carl Zeiss | Ultron 50/1.8 M42 | 50 | 1.8 | 80 | M42 | 0.5 | 0.26 | 37 | 63 | B50 | 384 | .18-08 | 525 | .18-08 | | | | 1200 | .18-03 | kevin |
| Carl Zeiss | Tessar 50/2.8 sv | 50 | 2.8 | 80 | M42 | | | | | | 69 | .18-07 | 100 | .18-05 | | | | | | |
| Carl Zeiss | Biotar 58/2 M42 | 58 | 2 | 93 | M42 | | | | | | 116 | .18-07 | 190 | .18-06 | | | | | | |
| Carl Zeiss | Sonnar 85/2 M42 | 85 | 2 | 136 | M42 | 0.2 | 0.80 | | | | 0 | | 0 | | | | | | | |
| Carl Zeiss | Sonnar 85/2.8 HFT M42 | 85 | 2.8 | 136 | M42 | | | | | | 0 | | 442 | .18-06 | | | | | | |
| Carl Zeiss Jena M42 | | | | | | | | | | | | | | | | | | | | |
| Zeiss Jena | Flektogon 20/2.8 | 20 | 2.8 | 32 | M42 | 0.2 | 0.31 | 47 | 74 | 67 | 336 | .18-08 | 455 | .18-07 | 367 | .18-07 | keh | | | |
| Zeiss Jena | Flektogon 20/4 | 20 | 4 | 32 | M42 | 0.2 | 0.34 | 49 | 83 | 77 | 251 | .18-08 | 361 | .18-03 | | | | | | |
| Zeiss Jena | 28/2.8 II MC Macro | 28 | 2.8 | 45 | M42 | 0.3 | | 60 | | 49 | 86 | .18-02 | 165 | .14-08 | 65 | .16-05 | v.v | | | |
| Zeiss Jena | Flektogon 35/2.4 MC | 35 | 2.4 | 56 | M42 | 0.2 | 0.25 | 52 | 64 | 49 | 174 | .18-08 | 253 | .18-07 | | | | | | |
| Zeiss Jena | Flektogon 35/2.8 Macro zb,bk | 35 | 2.8 | 56 | M42 | 0.2 | | | | 49 | 154 | .18-05 | 240 | .18-05 | | | | | | |
| Zeiss Jena | Pancolar MC 50/1.4 | 50 | 1.4 | 80 | M42 | 0.4 | 0.23 | | | 49 | 245 | .18-03 | 404 | .14-03 | | | | | | |
| Zeiss Jena | Pancolar MC 50/1.8 | 50 | 1.8 | 80 | M42 | 0.3 | 0.20 | 39 | 84 | 49 | 92 | .18-08 | 161 | .18-08 | 100 | .18-04 | igor | | | |
| Zeiss Jena | Tessar 50/2.8 bk | 50 | 2.8 | 80 | M42 | 0.4 | 0.17 | 36 | 66 | 49 | 38 | .18-08 | 80 | .18-07 | 70 | .18-03 | igor | | | |
| Zeiss Jena | Pancolar MC 55/1.4 zebra | 55 | 1.4 | 88 | M42 | 0.4 | 0.40 | | | | 1131 | .18-04 | 1561 | .18-10 | | | | | | |
| Zeiss Jena | Biotar 58/2 | 58 | 2 | 93 | M42 | 0.5 | | | | 49 | 148 | .18-07 | 283 | .18-07 | 145 | .18-07 | igor | | | |
| Zeiss Jena | Biotar 75/1.5 sv | 75 | 1.5 | 120 | M42 | 0.8 | 0.50 | 76 | | 58 | 879 | .18-07 | 1575 | .18-08 | | | | | | |
| Zeiss Jena | Pancolar MC 80/1.8 | 80 | 1.8 | 128 | M42 | 0.4 | 0.31 | 55 | 60 | 58 | 428 | .18-07 | 627 | .18-07 | | | | 525 | .16-09 | igor |
| Zeiss Jena | Biometar 80/2.8 M42 | 80 | 2.8 | 128 | M42 | 0.8 | 0.32 | 63 | 65 | 58 | 206 | .16-04 | 356 | .16-04 | | | | | | |
| Zeiss Jena | Sonnar MC 135/3.5 | 135 | 3.5 | 216 | M42 | 1.0 | 0.38 | 82 | | 49 | 100 | .18-08 | 182 | .18-07 | 75 | .15-11 | igor | | | |
| Zeiss Jena | Sonnar MC 180/2.8 | 180 | 2.8 | 288 | M42 | 2.2 | 1.10 | 146 | 100 | 86 | 213 | .18-05 | 309 | .18-04 | 425 | .16-09 | igor | 425 | .16-12 | igor |
| Zeiss Jena | Sonnar MC 200/2.8 | 200 | 2.8 | 320 | M42 | 2.2 | 1.20 | 146 | | 77 | 232 | .18-07 | 381 | .18-07 | 350 | .13-04 | v.v | 325 | .16-12 | igor |
| Zeiss Jena | Sonnar MC 300/4 (P6) | 300 | 4.0 | 480 | M42 | 4.0 | 0.21 | 224 | | 86 | 201 | .18-07 | 399 | .16-01 | 450 | .13-04 | v.v | | | |
| Pentax Takumar & SMC Takumar M42 | | | | | | | | | | | | | | | | | | | | |
| Pentax | SMC Takumar 15mm f/3.5 | 15 | 3.5 | 24 | M42 | 0.3 | 0.57 | 82 | 80 | bi | 856 | .16-01 | 1023 | .18-07 | 2800 | .16-08 | kevin | 4000 | .16-08 | kevin |
| Pentax | Fish-eye-Takumar FE 17/4 | 17 | 4 | 27 | M42 | 0.2 | 0.23 | 32 | 67 | bi | 199 | .18-06 | 269 | .18-05 | 300 | .18-07 | keh | | | |
| Pentax | SMC Takumar FE 17/4 | 17 | 4 | 27 | M42 | 0.2 | 0.23 | 32 | 67 | bi | 240 | .16-01 | 345 | .18-06 | 189 | .17-01 | ctc | | | |
| Pentax | Super-Takumar 20/4.5 | 20 | 4.5 | 32 | M42 | 0.2 | 0.25 | 45 | 62 | 77 | 147 | .18-05 | 220 | .18-03 | 200 | .14-03 | b&h | | | |
| Pentax | SMC Takumar 20/4.5 | 20 | 4.5 | 32 | M42 | 0.2 | 0.25 | 45 | 62 | 77 | 172 | .18-05 | 263 | .18-07 | | | | | | |
| Pentax | SMC Takumar 35/2 | 35 | 2 | 56 | M42 | 0.4 | 0.24 | 54 | 58 | 49 | 148 | .18-08 | 237 | .18-08 | 115 | .18-07 | igor | 145 | .18-07 | igor |
| Pentax | Super-Takumar 50/1.4 (8,7) | 50 | 1.4 | 80 | M42 | 0.5 | 0.26 | 38 | 61 | 49 | 176 | .18-08 | 265 | .18-08 | | | | | | |
| Pentax | SMC Takumar 50/1.4 | 50 | 1.4 | 80 | M42 | 0.5 | 0.25 | 42 | 61 | 49 | 72 | zz | 116 | .18-08 | | | | | | |
| Pentax | Auto-Takumar 85/1.8 | 85 | 1.8 | 136 | M42 | 0.9 | 0.33 | 55 | 63 | 55 | 294 | .16-04 | 373 | .18-07 | | | | | | |
| Pentax | SMC Takumar 85/1.8 | 85 | 1.8 | 136 | M42 | 0.9 | 0.34 | 57 | 65 | 58 | 311 | .18-07 | 439 | .18-07 | 418 | .18-07 | d'town | 575 | .12-02 | kevin |
| Pentax | SMC Takumar 135/2.5 | 135 | 2.5 | 216 | M42 | 1.5 | 0.44 | 86 | 67 | 58 | 153 | .18-08 | 245 | .18-08 | 150 | .18-07 | keh | 195 | .13-05 | camW |
| Pentax | SMC Takumar 500/4.5 ps | 500 | 4.5 | 800 | M42 | 10.0 | 3.50 | | | 46 | 345 | .18-07 | 469 | .18-07 | 500 | .16-01 | b&h | | | |

| | | | | | | | | | | eBay | | other suppliers | | | | | | | | | |
|------------------------|--------------------------------|---------------------|-----|-----|------|------|------|------|-----|-----------|-----------|-----------------|--------|-----------|--------|------|--------|---------|------|--------|-------|
| f | f/ | f(1.6x) | mt | MFD | wt | L | D | Df | | E to E+ | M- to N | E to E+ | | M- to N | | | | | | | |
| (mm) | | (mm) | | (m) | (kg) | (mm) | (mm) | (mm) | | \$US date | \$US date | \$US date | site | \$US date | site | | | | | | |
| Voigtlander M42 | | | | | | | | | | | | | | | | | | | | | |
| Voigtlander | 35/2.8 | Color Skoparex SL | 35 | 2.8 | 56 | M42 | 0.4 | 0.21 | 53 | 49 | 168 | .18-07 | 185 | .17-05 | | | | | | | |
| Voigtlander | 50/1.8 | Color Ultron SL | 50 | 1.8 | 80 | M42 | 0.5 | 0.19 | 38 | 49 | 141 | .18-07 | 241 | .18-08 | | | | | | | |
| Fuji Photo M42 | | | | | | | | | | | | | | | | | | | | | |
| Fuji Photo | EBC Fujinon-Fisheye | 16/2.8 | 16 | 2.8 | 26 | M42 | 0.3 | 0.43 | | | b.i. | 205 | .16-09 | 299 | .15-12 | 1000 | .16-08 | kevin | | | |
| Fuji Photo | EBC Fujinon-SW | 19/3.5 | 19 | 3.5 | 30 | M42 | 0.3 | 0.26 | | | 72 | 300 | .18-05 | 427 | .15-07 | 900 | .16-08 | kevin | | | |
| Fuji Photo | EBC Fujinon-SW | 24/2.8 | 24 | 2.8 | 38 | M42 | 0.3 | 0.18 | | | 49 | 159 | .15-12 | 280 | .16-09 | 350 | .16-08 | kevin | | | |
| Fuji Photo | EBC Fujinon-W | 35/1.9 | 35 | 1.9 | 56 | M42 | 0.4 | 0.23 | | | 49 | 150 | .18-04 | 296 | .18-06 | 500 | .16-08 | kevin | | | |
| Fuji Photo | EBC Fujinon-W | 35/2.8 | 35 | 2.8 | 56 | M42 | 0.4 | 0.19 | 44 | 60 | 49 | 107 | .18-07 | 152 | .17-05 | | | | | | |
| Fuji Photo | EBC Fujinon | 50/1.4 | 50 | 1.4 | 80 | M42 | 0.5 | 0.27 | 43 | 63 | 49 | 115 | .18-08 | 194 | .18-08 | 250 | .16-08 | kevin | 325 | .16-08 | kevin |
| Fuji Photo | Fujinon | 55/2.2 | 55 | 2.2 | 88 | M42 | 0.6 | 0.15 | 37 | 52 | 49 | 56 | .18-07 | 93 | .18-07 | | | | | | |
| Fuji Photo | EBC Fujinon Macro | 55/3.5 | 55 | 3.5 | 88 | M42 | 0.4 | 0.19 | | | 49 | 100 | .17-05 | 272 | .16-05 | 275 | .16-08 | kevin | 400 | .16-08 | kevin |
| Fuji Photo | EBC Fujinon | 85/4 soft | 85 | 4 | 136 | M42 | 1.0 | 0.29 | | | 49 | 490 | .18-07 | 802 | .15-03 | 850 | .16-08 | kevin | 950 | .16-08 | kevin |
| Fuji Photo | EBC Fujinon | 100/2.8 | 100 | 2.8 | 160 | M42 | 1.2 | 0.25 | | | 49 | 150 | .18-05 | 217 | .15-11 | | | | 250 | .16-08 | kevin |
| Fuji Photo | EBC Fujinon-T | 135/2.5 | 135 | 2.5 | 216 | M42 | 1.5 | 0.43 | 80 | 66 | 58 | 169 | .18-04 | 276 | .16-05 | 180 | .16-05 | kenmore | | | |
| Mamiya M42 | | | | | | | | | | | | | | | | | | | | | |
| Mamiya | mamiya/sekor AUTO | 21/4 SX | 21 | 4 | 34 | M42 | 0.5 | 0.22 | 49 | 62 | 58 | 139 | .16-02 | 218 | .13-10 | | | | | | |
| Mamiya | mamiya/sekor AUTO | 28/2.8 SX | 28 | 2.8 | 45 | M42 | 0.3 | 0.25 | | | 58 | 55 | .18-08 | 80 | .18-08 | | | | | | |
| Mamiya | mamiya/sekor AUTO | 35/2.8 SX | 35 | 2.8 | 56 | M42 | 0.4 | 0.23 | | | 52 | 74 | .18-04 | 141 | .18-03 | | | | | | |
| Mamiya | mamiya/sekor AUTO | 55/1.4 SX | 55 | 1.4 | 88 | M42 | 0.5 | 0.31 | | | 55 | 70 | .18-07 | 141 | .18-08 | | | | | | |
| Mamiya | mamiya/sekor AUTO | 55/1.8 SX | 55 | 1.8 | 88 | M42 | 0.5 | 0.19 | 40 | 64 | 52 | 40 | .18-08 | 0 | | | | | | | |
| Mamiya | macro Sekor | 60/2.8 [1:1] | 60 | 2.8 | 96 | M42 | 0.2 | 0.40 | 66 | 66 | 58 | 191 | .18-04 | 263 | .14-06 | 204 | .13-04 | ado | | | |
| Mamiya | mamiya/sekor AUTO | 85/1.7 SX | 85 | 1.7 | 136 | M42 | 0.9 | 0.50 | | | 58 | 493 | .16-12 | 0 | | | | | | | |
| Mamiya | mamiya/sekor AUTO | 85/2.8 SX | 85 | 2.8 | 136 | M42 | 0.9 | | | | | 109 | .18-06 | 340 | .18-04 | | | | | | |
| Other M42 | | | | | | | | | | | | | | | | | | | | | |
| Olympus | G.Zuiko | 50/1.4 Auto-S M42 | 50 | 1.4 | 80 | M42 | | | | | | 100 | .18-07 | 0 | | | | | | | |
| Yashica | Auto Yashinon-DX | 50/1.4 M42 | 50 | 1.4 | 80 | M42 | | | | | | 79 | .18-08 | 149 | .18-07 | | | | | | |
| Enna-Mchn | Edixa Color Ennalyt | 50mm 1.9 | 50 | 1.9 | 80 | M42 | | | | | | 667 | .18-04 | 1158 | .18-04 | | | | | | |
| Pentacoon | Multi Coating | 50/1.8 fr | 50 | 1.8 | 80 | M42 | 0.2 | 0.33 | 39 | 64 | 49 | 38 | .18-06 | 67 | .18-06 | | | | | | |
| Edixa | Edixagon | 50/2 M42 (Rdnstock) | 50 | 2 | 80 | M42 | 0.5 | 0.23 | 37 | 60 | 49 | 309 | .18-07 | 350 | .18-08 | 303 | .18-04 | ctc | | | |
| Victar | Anastigmat | 5cm f/f2.9 | 50 | 2.9 | 80 | M42 | 0.8 | 0.11 | 15 | 49 | x | 44 | .18-07 | 0 | | | | | | | |
| Tomioka | Yashinon//Tominon/Cos...Rev... | | 55 | 1.2 | 88 | M42 | | | | | | 528 | .18-08 | 955 | .18-07 | | | | 1100 | .18-06 | kevin |
| Tomioka | Yashinon macro | | 60 | 2.8 | 96 | M42 | | | | | | 279 | .18-06 | 423 | .18-05 | | | | | | |
| Meyer | Primoplan | 58/1.9 V (MC) | 58 | 1.9 | 93 | M42 | 0.8 | 0.12 | 34 | 51 | 39 | 348 | .18-08 | 485 | .18-08 | | | | | | |
| Meyer | Primoplan | 75/1.9 V (MC) | 75 | 1.9 | 120 | M42 | 1.0 | 0.25 | 65 | 55 | | 1133 | .18-08 | 1636 | .18-07 | | | | | | |
| Meyer | Trioplan | 100/2.8 (MC) sv | 100 | 2.8 | 160 | M42 | 1.1 | 0.27 | 102 | | 49 | 446 | .18-08 | 681 | .18-07 | | | | | | |

| Medium Format Lenses | | f (mm) | f/ (mm) | f(1.6x) (mm) | mt | MFD (m) | wt (kg) | L (mm) | D (mm) | Df (mm) | eBay | | other suppliers | | | | | | | | |
|---|-------------------------------|-----------|------------|-----------------|------|------------|------------|-----------|-----------|------------|---------|--------|-----------------|--------|---------|--------|---------|--------------|--------|---------|--|
| | | | | | | | | | | | E to E+ | | M- to N | | E to E+ | | M- to N | | | | |
| | | | | | | | | | | | \$US | date | \$US | date | \$US | date | site | \$US | date | site | |
| Mamiya M645 manual focus | | | | | | | | | | | | | | | | | | | | | |
| Mamiya | Mamiya-Sekor C 24/4 ULD FE | 24 | 4 | 38 | M645 | 0.3 | 0.79 | 82 | 100 | b.i. | 586 | .18-09 | 1010 | .18-08 | 1169 | .15-04 | keh | 1480 | .14-01 | keh | |
| Mamiya | Mamiya-Sekor C 35/3.5 N | 35 | 3.5 | 56 | M645 | 0.5 | 0.45 | 61 | 80 | 77 | 213 | .18-07 | 356 | .18-07 | 328 | .18-07 | keh | 225 | .16-01 | igor | |
| Mamiya | Mamiya-Sekor C 45/2.8 N | 45 | 2.8 | 72 | M645 | 0.5 | 0.48 | 70 | 71 | 67 | 135 | .18-08 | 182 | .18-08 | 220 | .18-07 | keh | 380 | .13-07 | b&h | |
| Mamiya | Mamiya-Sekor C 50/4 Shift | 50 | 4 | 80 | M645 | 0.5 | 0.74 | 105 | 80 | 77 | 379 | .18-08 | 471 | .18-08 | 300 | .18-07 | prec'n | 600 | .14-03 | b&h | |
| Mamiya | Mamiya-Sekor C 55/2.8 N | 55 | 2.8 | 88 | M645 | 0.5 | 0.31 | 59 | 70 | 58 | 129 | .18-07 | 174 | .18-07 | 133 | .16-01 | keh | 170 | .16-01 | b&h | |
| Mamiya | Mamiya-Sekor C 80/1.9 | 80 | 1.9 | 128 | M645 | 0.7 | 0.42 | 59 | 76 | 67 | 230 | .18-08 | 346 | .18-08 | 500 | .18-07 | keh | | | | |
| Mamiya | Mamiya-Sekor C 80/1.9 N | 80 | 1.9 | 128 | M645 | | | | | | 217 | .18-08 | 393 | .18-08 | 450 | .16-01 | keh | | | | |
| Mamiya | Mamiya-Sekor C 80/2.8 N | 80 | 2.8 | 128 | M645 | 0.7 | 0.22 | 43 | 70 | 58 | 99 | .18-07 | 148 | .18-07 | 90 | .16-01 | keh | 120 | .15-04 | keh | |
| Mamiya | Mamiya-Sekor C 80/4 N Macro | 80 | 4 | 128 | M645 | 0.4 | 0.59 | 75 | 79 | 67 | 132 | .18-07 | 196 | .18-07 | 220 | .18-07 | keh | 275 | .15-01 | igor | |
| Mamiya | Mamiya-Sekor C 110/2.8 N | 110 | 2.8 | 176 | M645 | 1.2 | 0.39 | 60 | 70 | 58 | 144 | .18-07 | 214 | .18-07 | 110 | .15-03 | keh | 150 | .16-01 | b&h | |
| Mamiya | Mamiya-Sekor C 145/4 SF | 145 | 4 | 232 | M645 | 1.2 | 0.90 | 116 | 80 | 77 | 118 | .17-04 | 221 | .18-04 | 170 | .15-04 | ado | 400 | .16-01 | b&h | |
| Mamiya | Mamiya-Sekor C 150/3.5 N | 150 | 3.5 | 240 | M645 | 1.5 | 0.42 | 80 | 70 | 58 | 104 | .18-08 | 151 | .18-08 | 115 | .18-07 | keh | 130 | .16-01 | b&h | |
| Mamiya | Mamiya-Sekor C 210/4 N | 210 | 4 | 336 | M645 | 2.5 | 0.72 | 137 | 70 | 58 | 54 | .18-08 | 150 | .16-08 | 62 | .16-01 | keh | 98 | .16-05 | ctc | |
| Mamiya | Mamiya-Sekor C 300/5.6 N | 300 | 5.6 | 480 | M645 | 4.0 | 0.70 | 164 | 71 | 58 | 127 | .18-07 | 161 | .18-08 | 175 | .18-07 | keh | 400 | .13-07 | b&h | |
| Mamiya | Mamiya-Sekor C 500/5.6 | 500 | 5.6 | 800 | M645 | 9.0 | 2.28 | 358 | 114 | 105 | 266 | .16-10 | 395 | .18-08 | 400 | .15-04 | ado | 700 | .13-07 | b&h | |
| Mamiya | Mamiya A 120/4 Macro | 120 | 4 | 192 | M645 | 0.4 | 0.75 | 111 | 77 | 67 | 263 | .16-09 | 374 | .18-08 | 296 | .16-12 | ctc | 450 | .16-01 | b&h | |
| Mamiya | Mamiya A 150/2.8 | 150 | 2.8 | 240 | M645 | 1.5 | 0.74 | 107 | 75 | 67 | 200 | .18-08 | 299 | .18-07 | 300 | .18-07 | keh | | | | |
| Mamiya | Mamiya A 200/2.8 APO | 200 | 2.8 | 320 | M645 | 2.5 | 1.10 | 144 | 91 | 77 | 678 | .18-07 | 1035 | .18-07 | 920 | .18-07 | keh | 1080 | .14-01 | keh | |
| Mamiya | Mamiya A 300/2.8 APO | 300 | 2.8 | 480 | M645 | 3.5 | 2.70 | 237 | 140 | 43.5di | 1841 | .17-01 | 3458 | .18-07 | 1995 | .10-05 | igor | 2200 | .10-06 | ffordes | |
| Mamiya | Mamiya A 500/4.5 APO | 500 | 4.5 | 800 | M645 | 5.0 | 5.40 | 378 | 162 | 43.5di | 2300 | .09-03 | 5600 | .16-04 | 3350 | .09-05 | b&h | 17.4k | .10-02 | mpex | |
| Mamiya | Mamiya C 55-110/4.5 N | 55-110 | 4.5 | | M645 | 1.5 | 0.80 | 104 | 75 | 67 | 124 | .18-08 | 189 | .18-07 | 150 | .18-07 | prec'n | 197 | .16-01 | b&h | |
| Mamiya | Mamiya C ULD 105-210/4.5 | 105-210 | 4.5 | | M645 | 1.8 | 0.88 | 158 | 75 | 58 | 120 | .18-07 | 186 | .16-01 | 140 | .18-07 | keh | 350 | .12-12 | b&h | |
| Schneider-Kreusnach manual focus | | | | | | | | | | | | | | | | | | | | | |
| Sch-K | Curtagon MF 60/3.5 | 60 | 3.5 | 96 | P6 | 0.6 | 0.57 | 84 | 81 | 67 | 639 | .15-07 | 1029 | .18-03 | | | | | | | |
| Sch-K | Xenotar MF 80/2.8 | 80 | 2.8 | 128 | P6 | 0.6 | 0.50 | 72 | 84 | 67 | 795 | .17-03 | 1098 | .18-03 | | | | 1145 | .14-10 | igor | |
| Sch-K | Tele-Xenar MF 150/4 | 150 | 4 | 240 | P6 | 1.5 | 0.76 | 101 | 84 | 67 | 540 | .15-01 | 988 | .15-08 | | | | | | | |
| Sch-K | Tele-Xenar MF 250/5.6 | 250 | 5.6 | 400 | P6 | 3.0 | 0.90 | 168 | 84 | 67 | 660 | .11-12 | 1350 | .12-12 | | | | | | | |
| Pentax P645 manual and autofocus | | | | | | | | | | | | | | | | | | | | | |
| Pentax | SMC Pentax-A 645 35/3.5 | 35 | 3.5 | 56 | P645 | 0.3 | 0.47 | 67 | 80 | 77 | 346 | .18-08 | 537 | .18-08 | 452 | .17-10 | d'town | | | | |
| Pentax | SMC Pentax-FA 645 35/3.5 | 35 | 3.5 | 56 | P645 | 0.3 | 0.56 | 90 | 88 | 82 | 549 | .18-08 | 600 | .18-08 | 987 | .15-04 | ctc | | | | |
| Pentax | SMC Pentax-A 645 55/2.8 | 55 | 2.8 | 56 | P645 | 0.5 | 0.41 | 61 | 74 | 58 | 136 | .18-08 | 181 | .18-07 | 200 | .15-04 | b&h | 220 | .16-01 | b&h | |
| Pentax | SMC Pentax-D FA 645 55/2.8 AL | 55 | 2.8 | 56 | P645 | 0.5 | 0.42 | 68 | 81 | 67 | 515 | .18-08 | 587 | zz | | | | 920 | .14-01 | keh | |
| Pentax | SMC Pentax-A 645 75/2.8 | 75 | 2.8 | 56 | P645 | 0.6 | 0.24 | 38 | 74 | 58 | 157 | .17-05 | 226 | .18-08 | 113 | .15-04 | ctc | 315 | .15-11 | jack's | |
| Pentax | SMC Pentax-FA 645 75/2.8 | 75 | 2.8 | 56 | P645 | 0.6 | 0.22 | 37.5 | 75 | 58 | 210 | .16-03 | 407 | .18-08 | | | | | | | |
| Pentax | SMC Pentax-A 645 120/4 Mac | 120 | 4 | 56 | P645 | 0.4 | 0.70 | 110 | 79 | 67 | 143 | .18-08 | 178 | .18-08 | | | | 350 | .14-01 | v.v | |
| Pentax | SMC Pentax-FA 645 120/4 Mac | 120 | 4 | 56 | P645 | 0.4 | 0.74 | 110 | 83 | 67 | 250 | .18-03 | 472 | .18-08 | | | | | | | |

| Leica M, Leica Thread mount (LM/LTM) | | f (mm) | f/ (mm) | f(1.6x) (mm) | mt | MFD (m) | wt (kg) | L (mm) | D (mm) | Df (mm) | eBay | | other suppliers | | | | | | | |
|--------------------------------------|----------------------------|-----------|------------|-----------------|-----|------------|------------|-----------|-----------|------------|---------|--------|-----------------|--------|---------|--------|---------|-------------|--------|---------|
| | | | | | | | | | | | E to E+ | | M- to N | | E to E+ | | M- to N | | | |
| | | | | | | | | | | | \$US | date | \$US | date | \$US | date | site | \$US | date | site |
| Zeiss ZM manual focus | | | | | | | | | | | | | | | | | | | | |
| Zeiss | Distagon 15/2.8 ZM | 15 | 2.8 | 24 | LM | 0.3 | 0.50 | 86 | 80 | 72 | 2499 | .18-07 | 2823 | .17-04 | 2900 | .18-07 | keh | 6300 | .16-09 | camtec |
| Zeiss | Distagon 18/4 ZM | 18 | 4 | 29 | LM | 0.5 | 0.32 | 47 | 65 | 58 | 675 | .17-05 | 839 | .18-07 | 1000 | .18-07 | b&h | 1140 | .18-04 | b&h |
| Zeiss | Biogon 21/2.8 ZM | 21 | 2.8 | 34 | LM | 0.5 | 0.30 | 51 | 53 | 46 | 669 | .17-05 | 853 | .18-08 | 1100 | .18-07 | b&h | 1150 | .18-07 | b&h |
| Zeiss | C Biogon 21/4.5 ZM | 21 | 4.5 | 34 | LM | 0.5 | 0.19 | 31 | 53 | 46 | 608 | .18-08 | 812 | .18-07 | 795 | .17-05 | igor | 745 | .17-05 | igor |
| Zeiss | Biogon 25/2.8 ZM | 25 | 2.8 | 40 | LM | 0.5 | 0.26 | 47 | 53 | 46 | 539 | .18-08 | 704 | .18-08 | 890 | .18-07 | ado | 1201 | .16-08 | b&h |
| Zeiss | Biogon 28/2.8 ZM | 28 | 2.8 | 45 | LM | 0.5 | 0.22 | 51 | 53 | 46 | 648 | .18-08 | 727 | .18-08 | 792 | .17-05 | keh | 1050 | .18-07 | b&h |
| Zeiss | Distagon 35/1.4 ZM | 35 | 1.4 | 56 | LM | 0.7 | 0.38 | 65 | 63 | 49 | 1407 | .18-08 | 1843 | .18-07 | | | | 2000 | .18-07 | ado |
| Zeiss | Biogon 35/2 ZM | 35 | 2 | 56 | LM | 0.7 | 0.24 | 44 | 53 | 43 | 570 | .18-08 | 740 | .18-08 | 810 | .18-07 | ado | 750 | .17-05 | igor |
| Zeiss | Biogon 35/2.8 ZM | 35 | 2.8 | 56 | LM | 0.7 | 0.20 | 33 | 52 | 43 | 543 | .18-07 | 653 | .18-08 | 650 | .18-07 | igor | 800 | .18-04 | b&h |
| Zeiss | C Sonnar 50/1.5 ZM | 50 | 1.5 | 80 | LM | 0.9 | 0.25 | 45 | 56 | 46 | 671 | .18-08 | 865 | .18-08 | | | | 960 | .18-07 | ado |
| Zeiss | Planar 50/2 ZM | 50 | 2 | 80 | LM | 0.2 | 0.29 | 43 | 52 | 43 | 510 | .18-08 | 629 | .18-08 | 710 | .18-07 | ado | 760 | .18-04 | b&h |
| Zeiss | Sonnar 85/2 ZM | 85 | 2 | 136 | LM | | | | | | 0 | | 3900 | .18-08 | | | | | | |
| Zeiss | Tele-Tessar 85/4 ZM | 85 | 4.0 | 136 | LM | 0.2 | 0.29 | 69 | 54 | 52 | 566 | .18-08 | 684 | .18-07 | 720 | .16-08 | b&h | 888 | .17-05 | camtec |
| Canon RF manual focus | | | | | | | | | | | | | | | | | | | | |
| Canon RF | S 19/3.5 bk | 19 | 3.5 | 30 | LTM | 0.5 | 0.20 | 31 | 59 | 55 | 599 | .16-12 | 1400 | .18-08 | | | | 2000 | .16-09 | c'quest |
| Canon RF | S 25/3.5 sv | 25 | 3.5 | 40 | LTM | 1.0 | 0.15 | 15 | 48 | 40 | 409 | .18-06 | 603 | .18-07 | | | | | | |
| Canon RF | S 28/2.8 | 28 | 2.8 | 45 | LTM | 1.0 | 0.16 | 20 | 48 | 40 | 317 | .18-08 | 528 | .18-08 | | | | | | |
| Canon RF | S 28/3.5 II bk | 28 | 3.5 | 45 | LTM | 1.0 | 0.12 | 25 | 48 | 40 | 417 | .18-06 | 580 | .17-05 | | | | | | |
| Canon RF | S 35/1.5 bk | 35 | 1.5 | 56 | LTM | 1.0 | 0.19 | 29 | 56 | 48 | 812 | .18-08 | 1208 | .18-08 | | | | | | |
| Canon RF | S 35/1.8 bk/sv | 35 | 1.8 | 56 | LTM | 1.0 | 0.13 | 28 | 48 | 40 | 296 | .18-07 | 415 | .18-07 | 487 | .16-01 | keh | 550 | .16-08 | kevin |
| Canon RF | S 35/2 bk | 35 | 2 | 56 | LTM | 1.0 | 0.11 | 28 | 49 | 40 | 321 | .18-07 | 428 | .18-08 | 262 | .17-05 | ctc | 395 | .14-03 | igor |
| Canon RF | S 35/2.8 bk | 35 | 2.8 | 56 | LTM | 1.0 | 0.13 | 30 | 48 | 40 | 208 | .18-08 | 277 | .18-07 | 295 | .18-07 | igor | | | |
| Canon RF | S 50/0.95 bk | 50 | 0.95 | 80 | LTM | 1.1 | 0.61 | 48 | 79 | 72 | 2081 | .18-07 | 2812 | .18-07 | 1725 | .13-07 | igor | 2400 | .15-06 | kevin |
| Canon RF | S 50/1.2 bk | 50 | 1.2 | 80 | LTM | 1.1 | 0.33 | 39 | 62 | 55 | 390 | .18-07 | 544 | .18-04 | 420 | .18-07 | igor | 900 | .16-08 | kevin |
| Canon RF | S 50/1.4 bk | 50 | 1.4 | 80 | LTM | 1.0 | 0.25 | 42 | 55 | 48 | 228 | .18-08 | 322 | .18-08 | 345 | .18-07 | igor | 685 | .16-08 | kevin |
| Canon RF | S 50/1.5 Serenar sv | 50 | 1.5 | 80 | LTM | 1.0 | 0.30 | | | 40 | 188 | .18-08 | 379 | .18-07 | 295 | .16-09 | igor | 850 | .16-08 | kevin |
| Canon RF | S 50/1.8 III bk | 50 | 1.8 | 80 | LTM | 1.0 | 0.19 | 39 | 48 | 40 | 93 | .18-08 | 173 | .18-07 | 125 | .16-12 | camW | 290 | .16-01 | keh |
| Canon RF | S 50/2.8 III bk | 50 | 2.8 | 80 | LTM | 1.0 | 0.16 | 39 | 48 | 40 | 41 | .18-08 | 101 | .18-07 | | | | | | |
| Canon RF | S 85/1.5 Serenar I & II sv | 85 | 1.5 | 136 | LTM | 1.0 | 0.73 | 83 | 63 | 60 | 735 | .16-09 | 999 | .18-07 | 1150 | .16-08 | kevin | 1850 | .16-08 | kevin |
| Canon RF | S 85/1.8 bk | 85 | 1.8 | 136 | LTM | 1.0 | 0.47 | 68 | 64 | 58 | 782 | .17-05 | 1047 | .18-07 | 750 | .15-06 | kevin | 1500 | .16-08 | kevin |
| Canon RF | S 85/1.9 II sv | 85 | 1.9 | 136 | LTM | 1.0 | 0.41 | 85 | 56 | 48 | 231 | .18-07 | 329 | .18-07 | 295 | .18-07 | igor | | | |
| Canon RF | S 85/2 sv | 85 | 2 | 136 | LTM | 1.1 | 0.56 | | | 48 | 191 | .18-07 | 250 | .18-08 | | | | | | |
| Canon RF | S 100/2 bk | 100 | 2 | 160 | LTM | 1.0 | 0.52 | 91 | 63 | 58 | 381 | .18-07 | 574 | .18-07 | 775 | .16-08 | kevin | 1100 | .16-08 | kevin |
| Canon RF | S 100/3.5 III bk | 100 | 3.5 | 160 | LTM | 1.0 | 0.22 | 73 | 47 | 40 | 120 | .18-07 | 262 | .18-07 | | | | | | |
| Canon RF | S 135/3.5 III bk | 135 | 3.5 | 216 | LTM | 1.5 | 0.42 | 97 | 54 | 48 | 96 | .18-07 | 175 | .18-07 | 145 | .18-07 | igor | | | |

| Leica M, Leica Thread mount (LM/LTM) | f (mm) | f/ (mm) | f(1.6x) (mm) | mt | MFD (m) | wt (kg) | L (mm) | D (mm) | Df (mm) | eBay | | other suppliers | | | | | | | | | |
|--|-------------------------------|------------|-----------------|-----|------------|------------|-----------|-----------|------------|---------|------|-----------------|------|---------|------|---------|---------|-------------|--------|---------|--|
| | | | | | | | | | | E to E+ | | M- to N | | E to E+ | | M- to N | | | | | |
| | | | | | | | | | | \$US | date | \$US | date | \$US | date | site | \$US | date | site | | |
| Voigtlander LM/LTM manual focus | | | | | | | | | | | | | | | | | | | | | |
| Voigtlander | 10/5.6 Heliar Hyper-Wide | 10 | 5.6 | 16 | LM | 0.3 | 0.37 | 74 | 68 | x | 788 | .18-07 | 0 | | | | | 1100 | .16-09 | c'quest | |
| Voigtlander | 12/5.6 ASPH UW Heliar | 12 | 5.6 | 19 | LTM | 0.3 | 0.16 | 38 | 51 | 77* | 443 | .18-07 | 557 | .18-07 | 400 | .16-01 | b&h | 565 | .17-05 | igor | |
| Voigtlander | 12/5.6 ASPH UW Heliar II | 12 | 5.6 | 19 | LM | 0.7 | 0.23 | 43 | 75 | 67 | 413 | .18-07 | 598 | .18-07 | 600 | .18-07 | b&h | 620 | .16-08 | keh | |
| Voigtlander | 12/5.6 ASPH UW Heliar III | 12 | 5.6 | 19 | LM | 0.3 | 0.28 | 58 | 65 | x | 0 | | 770 | .18-07 | | | | | | | |
| Voigtlander | 15/4.5 ASPH SW Heliar DS | 15 | 4.5 | 24 | LTM | 0.3 | 0.11 | 31 | 50 | 77* | 304 | .18-08 | 388 | .18-07 | 380 | .18-07 | ado | 400 | .18-07 | b&h | |
| Voigtlander | 15/4.5 ASPH SW Heliar II | 15 | 4.5 | 24 | LM | 0.5 | 0.16 | 38 | 59 | 52 | 325 | .18-08 | 443 | .18-08 | 430 | .17-05 | b&h | 375 | .18-07 | igor | |
| Voigtlander | 15/4.5 ASPH SW Heliar V III | 15 | 4.5 | 24 | LM | 0.3 | 0.29 | 68 | 66 | 58 | 532 | .18-06 | 647 | .18-05 | 698 | .17-05 | keh | 575 | .18-07 | igor | |
| Voigtlander | 21/1.8 ASPH Ultron | 21 | 1.8 | 34 | LM | 0.7 | 0.41 | 78 | 69 | 58 | 710 | .18-07 | 1037 | .17-03 | 800 | .16-09 | c'quest | 900 | .17-05 | b&h | |
| Voigtlander | 21/4 Color Skopar P | 21 | 4 | 34 | LTM | 0.5 | 0.11 | 29 | 55 | 39 | 263 | .18-08 | 312 | .18-08 | 284 | .17-05 | ado | 400 | .17-05 | keh | |
| Voigtlander | 21/4 Color Skopar P | 21 | 4 | 34 | LM | 0.3 | 0.14 | 24 | 55 | 39 | 266 | .17-05 | 334 | .18-08 | 367 | .17-05 | keh | 400 | .18-07 | ado | |
| Voigtlander | 25/4 Snapshot-Skopar | 25 | 4 | 40 | LTM | 0.6 | 0.09 | 30 | 50 | 39 | 253 | .18-08 | 363 | .18-08 | 265 | .17-05 | ctc | 370 | .17-05 | ado | |
| Voigtlander | 25/4 Snapshot-Skopar (D) | 25 | 4 | 40 | LM | 0.7 | 0.17 | 24 | 50 | 39 | 237 | .18-07 | 350 | .18-08 | 350 | .18-07 | ado | 375 | .17-05 | b&h | |
| Voigtlander | 28/1.9 ASPH Ultron (D) | 28 | 1.9 | 45 | LTM | 0.7 | 0.26 | 47 | 53 | 46 | 290 | .18-07 | 506 | .18-07 | | | | 0 | | | |
| Voigtlander | 28/2 Ultron | 28 | 2 | 45 | LM | 0.7 | 0.24 | 51 | 55 | 46 | 373 | .18-07 | 472 | .18-08 | 513 | .18-07 | d'town | 599 | .17-05 | c'quest | |
| Voigtlander | 28/3.5 Color Skopar II | 28 | 3.5 | 45 | LTM | 0.7 | 0.16 | 19 | 49 | 39 | 413 | .17-04 | 490 | .18-08 | | | | 330 | .09-07 | c'quest | |
| Voigtlander | 35/1.2 Nokton ASPH | 35 | 1.2 | 56 | LM | 0.7 | 0.49 | 78 | 63 | 52 | 781 | .16-08 | 760 | .18-07 | 800 | .16-09 | c'quest | 1199 | .12-04 | c'quest | |
| Voigtlander | 35/1.2 Nokton ASPH II | 35 | 1.2 | 56 | LM | 0.5 | 0.47 | 62 | 61 | 52 | 638 | .18-07 | 776 | .18-08 | 850 | .16-08 | keh | 800 | .18-07 | b&h | |
| Voigtlander | 35/1.4 MC/SC Nokton | 35 | 1.4 | 56 | LM | 0.7 | 0.20 | 29 | 55 | 43 | 423 | .18-07 | 493 | .18-08 | 475 | .17-05 | prec'n | 629 | .17-05 | ado | |
| Voigtlander | 35/1.7 ASPH Ultron | 35 | 1.7 | 56 | LTM | 0.9 | 0.23 | 40 | 55 | 39 | 336 | .18-07 | 414 | .18-08 | 650 | .18-07 | ado | 980 | .16-09 | c'quest | |
| Voigtlander | 35/1.7 ASPH Ultron (D) | 35 | 1.7 | 56 | LM | 0.7 | 0.33 | 51 | 53 | 46 | 351 | .18-07 | 686 | .18-08 | 395 | .18-07 | igor | 695 | .18-07 | igor | |
| Voigtlander | 35/2.5 Color-Skopar C | 35 | 2.5 | 56 | LTM | 0.8 | 0.14 | 30 | 50 | 43 | 226 | .18-07 | 285 | .18-08 | | | | 345 | .17-05 | igor | |
| Voigtlander | 35/2.5 Color-Skopar P | 35 | 2.5 | 56 | LTM | 0.9 | 0.14 | 30 | 50 | 43 | 262 | .18-07 | 323 | .18-08 | 210 | .17-05 | ppro | | | | |
| Voigtlander | 35/2.5 Color-Skopar P II | 35 | 2.5 | 56 | LM | 0.7 | 0.13 | 23 | 55 | 39 | 233 | .18-08 | 331 | .18-08 | 328 | .16-08 | keh | 426 | .17-05 | camtec | |
| Voigtlander | 40/1.2 Nokton Asp | 40 | 1.2 | 64 | LM | 0.5 | 0.32 | 43 | 61 | 52 | | | | | | | | 770 | .18-07 | b&h | |
| Voigtlander | 40/1.4 MC/SC Nokton | 40 | 1.4 | 64 | LM | 0.7 | 0.20 | 40 | 55 | 43 | 320 | .18-08 | 390 | .18-08 | 380 | .17-05 | ado | 395 | .18-07 | igor | |
| Voigtlander | 50/1.1 Nokton | 50 | 1.1 | 80 | LM | 1.0 | 0.43 | 57 | 70 | 58 | 490 | .18-08 | 665 | .18-08 | 792 | .17-05 | keh | 790 | .18-07 | b&h | |
| Voigtlander | 50/1.2 Nokton | 50 | 1.2 | 80 | LM | 0.7 | 0.35 | 49 | 63 | 52 | 0 | | 0 | | | | | | | | |
| Voigtlander | 50/1.5 ASPH Nokton | 50 | 1.5 | 80 | LTM | 0.9 | 0.28 | 45 | 58 | 52 | 379 | .18-08 | 537 | .18-07 | 500 | .17-05 | keh | 790 | .16-08 | d'town | |
| Voigtlander | 50/1.5 ASPH Nokton (bk) | 50 | 1.5 | 80 | LM | 0.7 | 0.22 | 48 | 54 | 49 | 390 | .18-08 | 617 | .18-07 | 640 | .18-07 | b&h | 690 | .18-07 | ado | |
| Voigtlander | 50/2 Heliar (D) collapsible | 50 | 2 | 80 | LM | 1.0 | 0.30 | 30 | 51 | 39 | 0 | | 658 | .17-05 | 450 | .18-07 | b&h | 475 | .18-07 | igor | |
| Voigtlander | 50/2.5 Color-Skopar | 50 | 2.5 | 80 | LTM | 0.8 | 0.24 | 27 | 50 | 39 | 327 | .18-08 | 406 | .18-08 | | | | 290 | .09-07 | c'quest | |
| Voigtlander | 50/3.5 Heliar (D) collapsible | 50 | 3.5 | 80 | LTM | 1.0 | 0.17 | 28 | 47 | 27 | 338 | .18-08 | 516 | .18-08 | | | | 650 | .16-09 | c'quest | |
| Voigtlander | 75/1.8 Heliar Classic | 75 | 1.8 | 120 | LM | 0.9 | 0.43 | 74 | 58 | 52 | 417 | .18-08 | 513 | .18-08 | 528 | .18-07 | d'town | 560 | .17-05 | ado | |
| Voigtlander | 75/2.5 Color Heliar | 75 | 2.5 | 120 | LTM | 1.0 | 0.26 | 51 | 55 | 43 | 268 | .18-08 | 408 | .18-07 | 468 | .17-05 | keh | 690 | .16-09 | c'quest | |
| Voigtlander | 90/3.5 Apo Lanthar | 90 | 3.5 | 144 | LTM | 1.0 | 0.26 | 90 | 51 | | 328 | .18-07 | 0 | | 380 | .18-07 | keh | 300 | .16-08 | b&h | |

